



US00D450667B1

(12) **United States Design Patent**
Scribner

(10) **Patent No.:** **US D450,667 S**

(45) **Date of Patent:** **** Nov. 20, 2001**

(54) **HAND HELD COMMUNICATIONS DEVICE HOLDER**

(75) **Inventor:** **Paul L. Scribner**, Walkerton, IN (US)

(73) **Assignee:** **Audiovox Specialized Applications, LLC**, Elkhart, IN (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/131,452**

(22) **Filed:** **Oct. 19, 2000**

(51) **LOC (7) Cl.** **13-99**

(52) **U.S. Cl.** **D13/184**

(58) **Field of Search** D13/184; 340/501;
379/418, 419, 420, 428, 399; 381/724,
736; 174/52.1; 361/600; D6/559

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 284,723	*	7/1986	Morris et al.	D6/559	X
D. 299,603	*	1/1989	Flory et al.	D6/559	
D. 395,897	*	7/1998	Honma et al.	D13/184	X
D. 399,190	*	10/1998	Dale et al.	D13/184	
D. 418,515	*	1/2000	Tucker et al.	D13/184	X
D. 437,299	*	2/2001	Johnson	D13/184	
D. 437,586	*	2/2001	Sonntag	D13/184	

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Gary R. Jarosik; Thomas C. McDonough

(57) **CLAIM**

The ornamental design for a “hand held communications device holder,” as shown and described.

DESCRIPTION

This application is related to U.S. design patent application No. 29/131,437 entitled “CASING FOR A HAND HELD COMMUNICATIONS DEVICE HOLDER” filed concurrently herewith.

FIG. 1 is a perspective view of a hand held communications device holder with its lid in an opened position showing the new design;

FIG. 2 is a perspective view of the hand held communications device holder with its lid in a closed position;

FIG. 3 is a top plan view of the hand held communications device holder with its lid in the closed position;

FIG. 4 is a bottom plan view of the hand held communications device holder;

FIG. 5 is a left side elevational view of the hand held communications device holder with its lid in the closed position;



FIG. 6 is a right side elevational view of the hand held communications device holder with its lid in the closed position;

FIG. 7 is front elevational view of the hand held communications device holder with its lid in the closed position; and,

FIG. 8 is a rear elevational view of the hand held communications device holder with its lid in the closed position.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8