



US00D450686B1

(12) **United States Design Patent**  
**Beaumont et al.**

(10) **Patent No.: US D450,686 S**

(45) **Date of Patent: \*\* Nov. 20, 2001**

(54) **COMMUNICATION SYSTEM EQUIPMENT ENCLOSURE**

(75) Inventors: **Thomas Glenn Beaumont**, Bedford, TX (US); **Kenneth Hugh McCorkindale**; **Edoardo Carlo Giovanni Arslan**, both of Milan (IT); **Martin Eduardo Broen**, Buenos Aires (AR)

(73) Assignee: **Motorola, Inc.**, Schaumburg, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/124,602**

(22) Filed: **Jun. 7, 2000**

(51) **LOC (7) Cl. .... 14-03**

(52) **U.S. Cl. .... D14/240; D13/184; D14/308**

(58) **Field of Search** ..... D14/125, 257, D14/140, 142, 299, 433, 434, 356-358, 435-438, 308, 349, 353, 240, 242, 155, 159, 141, 352, 439; 379/419, 420, 428, 440, 406, 93.01, 93.28; 455/550-575, 90; D13/184; 361/600, 622, 724-728; 375/220-225

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 108,756 \* 3/1938 Swanson ..... D6/599
- D. 297,837 \* 9/1988 Shibuya et al. .... D14/240
- D. 309,130 \* 7/1990 Yoshida et al. .... D14/310
- D. 314,770 \* 2/1991 Desbarats ..... D14/240

- D. 316,084 \* 4/1991 Imamura et al. .... D14/311
- D. 370,468 \* 6/1996 Moffatt et al. .... D14/308
- D. 372,247 \* 7/1996 Beaumont ..... D14/240
- D. 377,785 \* 2/1997 Rybarczyk et al. .... D14/308
- D. 382,879 \* 8/1997 Beaumont ..... D14/240
- D. 387,335 \* 12/1997 Ono et al. .... D14/308
- D. 387,336 \* 12/1997 Ono et al. .... D14/308
- D. 390,835 \* 2/1998 Mayfied, III ..... D13/184
- D. 391,968 \* 3/1998 Shiozaki ..... D14/240
- D. 393,836 \* 4/1998 Hisatsune et al. .... D14/356
- D. 397,997 \* 9/1998 Cozzolino et al. .... D14/308
- D. 405,766 \* 2/1999 Hartel et al. .... D13/184
- D. 420,652 \* 2/2000 Izaki ..... D14/434
- D. 436,352 \* 1/2001 Smith ..... D14/240
- D. 439,577 \* 3/2001 Smith ..... D14/240

\* cited by examiner

*Primary Examiner*—Jeffrey Asch


(57) **CLAIM**


The ornamental design for a “communication system equipment enclosure,” as shown.

**DESCRIPTION**


FIG. 1 is a top, right and front isometric view of a communication system equipment enclosure; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top elevational view thereof; and, FIG. 7 is a bottom elevational view thereof.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**