



US00D450779B1

(12) **United States Design Patent** (10) **Patent No.:** **US D450,779 S**
Ko (45) **Date of Patent:** **** Nov. 20, 2001**

(54) **FOLDABLE GAME BOARD WITH FASTENER FOR CHINESE CHECKERS**

Primary Examiner—Sandra L. Morris
(74) *Attorney, Agent, or Firm*—Ezra Sutton

(75) **Inventor:** **Wendy Ko**, Ontario, CA (US)

(57) **CLAIM**

(73) **Assignee:** **Sleep Innovations Inc.**, West Long Branch, NJ (US)

The ornamental design for a foldable game board with fastener for Chinese checkers, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/136,879**

FIG. 1 is a perspective view showing the foldable game board with fastener for Chinese checkers in a folded configuration embodying my new design;

(22) **Filed:** **Feb. 8, 2001**

(51) **LOC (7) Cl.** **21-01**

(52) **U.S. Cl.** **D21/335; D21/345; D21/364**

(58) **Field of Search** D21/334, 335, D21/341–345, 348, 363, 364, 386, 392; 273/236, 258, 260, 261, 271, 281, 282.1, 282.2, 285, 288, 291

FIG. 2 is a perspective view showing the foldable game board with fastener for Chinese checkers in an open configuration showing the interior wall surface embodying my new design;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 301,346	5/1989	Sjostrand et al. .	
D. 354,920	1/1995	Moradinia .	
D. 422,645 *	4/2000	Albert et al.	D21/342
2,219,546 *	10/1940	Peterson	273/258
4,261,576	4/1981	Friedenthal .	
5,127,652	7/1992	Unger .	
5,197,742	3/1993	Bendit .	
5,281,185	1/1994	Lee .	
5,388,838	2/1995	Bohrer .	
5,577,730	11/1996	Vannozzi .	
5,676,580	10/1997	Farrar .	
5,732,947	3/1998	Noack .	
5,833,512	11/1998	Nicola .	
5,868,429	2/1999	Raymond et al. .	

FIG. 3 is a perspective view showing the foldable game board with fastener for Chinese checkers in an open configuration showing the exterior wall surface embodying my new design;

OTHER PUBLICATIONS

Milton Bradley Co. Toy and Game Catalog, p. 13, Chinese Checkers.*

FIG. 4 is a front view of the closed configuration thereof;

FIG. 5 is a back view of the closed configuration thereof;

FIG. 6 is a side view of the closed configuration thereof, the other side view being a mirror image thereof;

FIG. 7 is an end view of the closed configuration thereof, the others end view being a mirror image thereof;

FIG. 8 is a front view of the open configuration thereof;



FIG. 9 is a back view of the open configuration thereof;

FIG. 10 is a side view of the open configuration thereof, the other side view being a mirror image thereof; and,

FIG. 11 is an end view of the open configuration thereof, the end view being a mirror image thereof.

* cited by examiner

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11