

US00D451005B1

(12) **United States Design Patent** (10) **Patent No.:** **US D451,005 S**
Murata (45) **Date of Patent:** **** Nov. 27, 2001**

(54) **CORD TIGHTENING DEVICE**

(75) Inventor: **Koji Murata, Lille (FR)**

(73) Assignee: **YKK Corporation, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/139,674**

(22) Filed: **Apr. 5, 2001**

(30) **Foreign Application Priority Data**

Oct. 5, 2000 (FR) 00 5756

(51) **LOC (7) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Search** D8/382, 383, 356,
D8/394, 395; D11/212, 215, 200, 213, 214,
220, 222; D2/978; 24/115 G, 115 H, 115 M,
115 R, 136 A, 136 R, 265 CD

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 343,570 * 1/1994 Meier D8/383
D. 368,852 * 4/1996 Ikeda D8/383

D. 399,045 * 10/1998 Liston D2/978
D. 430,484 * 9/2000 Ikeda D8/383
D. 439,148 * 3/2001 Ishii D8/383
5,671,505 * 9/1997 Anscher 24/115 G
6,018,851 * 2/2000 Anscher 24/115 G

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Jacobson Holman, PLLC

(57) **CLAIM**

The ornamental design for a cord tightening device, as shown and described.

DESCRIPTION

FIG. 1 is a front view showing my new design for a cord tightening device,
FIG. 2 is a right side view thereof;
FIG. 3 is a bottom perspective view thereof;
FIG. 4 is a top perspective view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7