

US00D451015B1

(12) **United States Design Patent**  
**Otto**

(10) **Patent No.:** **US D451,015 S**

(45) **Date of Patent:** **\*\* \*Nov. 27, 2001**

(54) <b>BATTERY PACKAGE</b>	2035854	3/1994	(DE)	9/5.05
	521914-			
(75) Inventor: <b>Andrew J. Otto</b> , San Francisco, CA (US)	521921	11/1998	(FR)	9/5
	2004983	12/1990	(GB)	9/3.06
	2076091	1/1999	(GB)	9/5.05
	973235	1/1996	(JP)	.
(73) Assignee: <b>Eveready Battery Company, Inc.</b> , St. Louis, MO (US)	DM/048 155	5/1999	(WO)	.

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/117,109**

(22) Filed: **Jan. 14, 2000**

(51) **LOC (7) Cl.** ..... **09-03**

(52) **U.S. Cl.** ..... **D9/415**

(58) **Field of Search** ..... D9/415, 418, 414,  
D9/337; 206/461-471, 806, 703-705, 769-781

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 239,436	*	4/1976	Williams	.....	D9/415
D. 340,861		11/1993	Abelson	.....	D9/415
D. 354,910		1/1995	Weatherford et al.	.....	D9/415
D. 371,512	*	7/1996	Morita	.....	D9/415
D. 385,488	*	10/1997	Smith et al.	.....	D9/415
D. 422,210	*	4/2000	Sturkie et al.	.....	D9/415
D. 429,634	*	8/2000	Pirro	.....	D9/415
D. 430,016	*	8/2000	Pirro et al.	.....	D9/415
3,288,280	*	11/1966	Bostrom	.....	206/461
3,757,937	*	9/1973	Weinstein	.....	206/461
4,549,658	*	10/1985	Sfikas	.....	206/461
4,723,656	*	2/1988	Kiernan et al.	.....	206/705
5,188,231	*	2/1993	Kivell et al.	.....	206/705
5,484,631	*	1/1996	Hoh	.....	206/461
5,819,939	*	10/1998	Boyer	.....	206/806 X
5,899,333	*	5/1999	Williams et al.	.....	206/705

**FOREIGN PATENT DOCUMENTS**

83658 4/1998 (CA) .

**OTHER PUBLICATIONS**

Techform Inc, Nov. 1982.\*

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

I claim the ornamental design for a battery package, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a battery package showing the new design;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a right side elevational view of FIG. 1;

FIG. 4 is a left side elevational view of FIG. 1;

FIG. 5 is a back elevational view of FIG. 1;

FIG. 6 is a top plan view of FIG. 1;

FIG. 7 is a bottom view of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of FIG. 1;

FIG. 9 is a front elevational view of FIG. 8;

FIG. 10 is a right side elevational view of FIG. 8;

FIG. 11 is a left side elevational view of FIG. 8;


FIG. 12 is a back elevational view of FIG. 8;

FIG. 13 is a top plan view of FIG. 8; and,

FIG. 14 is a bottom view of FIG. 8.

The broken lines showing of blister and eyelet is for illustrative purpose only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






Fig. 1



Fig. 3



Fig. 4




Fig. 2




Fig. 5




Fig. 6




Fig. 7




Fig. 8



Fig. 10



Fig. 11




Fig. 9




Fig. 12




Fig. 13



Fig. 14