



US00D451095B1

(12) **United States Design Patent**  
**Richter**

(10) **Patent No.:** **US D451,095 S**

(45) **Date of Patent:** **\*\* Nov. 27, 2001**

(54) **MOBILE TELEPHONE HOLDER**

(76) Inventor: **Herbert Richter**, Drosselweg 8, 75331 Engelbrand (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/133,381**

(22) Filed: **Nov. 29, 2000**

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/253**

(58) **Field of Search** ..... D14/137, 434, D14/138, 447, 148, 147, 149-151, 140-142, 240, 241, 251, 253, 451, 217; 379/426, 449, 419, 420.04, 428.01, 440, 454, 455, 446; 455/550-575, 90; D13/107, 108; 320/110, 113, 114, 115; D3/218; D6/475; D9/433, 306, 444; D7/641; D19/77, 87, 79, 85

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 279,181 \* 6/1985 Claxton et al. .... D13/107
- D. 345,647 \* 4/1994 Luxon ..... D3/218
- D. 370,681 \* 6/1996 Diamond ..... D14/252
- D. 372,145 \* 7/1996 Elmer ..... D6/475
- D. 373,241 \* 9/1996 Chavez et al. .... D3/218
- D. 413,435 \* 9/1999 Chapman et al. .... D3/219
- D. 416,914 \* 11/1999 Lummis ..... D14/251

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

- 08230575 \* 9/1996 (JP) .
- 11011223 \* 1/1999 (JP) .
- 11165595 \* 6/1999 (JP) .
- 2000216868 \* 8/2000 (JP) .
- 2000224285 \* 8/2000 (JP) .
- 2000296015 \* 10/2000 (JP) .
- 2000324221 \* 11/2000 (JP) .

*Primary Examiner*—Jeffrey Asch  
(74) *Attorney, Agent, or Firm*—Klaus J. Bach

(57) **CLAIM**

The ornamental design for a mobile telephone holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the mobile telephone holder; FIG. 2 is a front view of the mobile telephone holder shown in FIG. 1;

FIG. 3 is a left side view of the mobile telephone holder shown in FIG. 2;

FIG. 4 is a right side view of the mobile telephone holder shown in FIG. 2;

FIG. 5 is a top view of the mobile telephone holder shown in FIG. 2;

FIG. 6 is a bottom view of the mobile telephone holder shown in FIG. 2;

FIG. 7 is a rear view of the mobile telephone holder shown in FIG. 2 showing attachment openings for the attachment to various support structures;

FIG. 8 is a left side view of the mobile telephone holder shown in FIG. 2 with an adhesive film at its rear wall for the attachment to a support surface;

FIG. 9 is a right side view of the mobile telephone holder shown in FIG. 2 with an adhesive film at its rear wall for the attachment to a support surface;


FIG. 10 is a top view of the mobile telephone holder shown in FIG. 2 with an adhesive film at its rear wall for the attachment to a support surface;

FIG. 11 is a bottom view of the mobile telephone holder shown in FIG. 2 with an adhesive film at its rear wall for the attachment to a support surface; and,

FIG. 12 is a rear view of the mobile telephone holder shown in FIG. 10 showing the adhesive film at its rear wall for the attachment to a support surface.

The patterned surface treatment schematically depicted in FIGS. 5, 10, and 12 is continuous about the surfaces on which it is shown. The second embodiment differs from the first only in the attachment means at the rear thereof.

**1 Claim, 8 Drawing Sheets**



# US D451,095 S


Page 2

---


## U.S. PATENT DOCUMENTS

D. 418,119	*	12/1999	Rowell	.....	D3/218	D. 441,713	*	5/2001	Gartrell	.....	D13/108
D. 419,760	*	2/2000	Goodman	.....	D3/218	D. 444,449	*	7/2001	Yamamoto	.....	D13/107
D. 426,701	*	6/2000	Edwards et al.	.....	D3/218	5,230,016	*	7/1993	Yasuda	.....	455/573
D. 432,122	*	10/2000	Richter	.....	D14/253	5,659,887	*	8/1997	Ooe	.....	455/575
D. 439,246	*	3/2001	Hansen, Jr.	.....	D14/253	6,135,408	*	10/2000	Richter	.....	248/309.4

\* cited by examiner



*FIG. 1*



*FIG. 2*




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 9






FIG. 8






*FIG. 10*



*FIG. 11*



*FIG. 12*