



US00D451484B1

(12) **United States Design Patent**  
Page et al.

(10) **Patent No.:** **US D451,484 S**

(45) **Date of Patent:** **\*\* Dec. 4, 2001**

(54) **TWO-WAY COMMUNICATION DEVICE**

(75) Inventors: **Michael J. Page**, Aventura; **Donald W. Burnette**, Sunrise, both of FL (US); **Avihu Cohen**, Avihail (IL); **James L. Tracy**, Coral Springs, FL (US)

(73) Assignee: **Motorola, Inc.**, Schaumburg, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/131,362**

(22) Filed: **Oct. 19, 2000**

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/137**

(58) **Field of Search** ..... D14/137, 138,  
D14/218, 147-148, 247-248, 144, 341-347;  
379/433.434, 419, 420, 428, 440; 455/550-575,  
90, 347, 350, 351

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 290,842	*	7/1987	Scheid et al.	.....	D14/137
D. 293,239	*	12/1987	Larson et al.	.....	D14/155
D. 295,404	*	4/1988	Tokiyama	.....	D14/137
D. 299,719	*	2/1989	Martensson et al.	.....	D14/138
D. 348,664	*	7/1994	Imazeki	.....	D14/137
D. 382,869	*	8/1997	Siddoway et al.	.....	D14/137
D. 382,870	*	8/1997	Siddoway	.....	D14/137
D. 383,746	*	9/1997	Richards et al.	.....	D14/138
D. 384,060	*	9/1997	Kelley et al.	.....	D14/138
D. 384,345	*	9/1997	Linderman et al.	.....	D14/137
D. 393,638	*	4/1998	Page et al.	.....	D14/137

D. 395,883	*	7/1998	Haase et al.	.....	D14/137
D. 399,504	*	10/1998	Lindeman et al.	.....	D14/137
D. 406,833	*	3/1999	Page et al.	.....	D14/137
D. 408,811	*	4/1999	Page et al.	.....	D14/137
D. 410,002	*	5/1999	Collins	.....	D14/138
D. 411,536	*	6/1999	Page et al.	.....	D14/137
D. 421,435	*	3/2000	Haase et al.	.....	D14/137
D. 422,585	*	4/2000	Ng et al.	.....	D14/137
D. 432,509	*	10/2000	Webb et al.	.....	D14/138
D. 435,027	*	12/2000	Wolf et al.	.....	D14/138
5,752,205	*	5/1998	Dzung et al.	.....	455/575

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Scott M. Garrett

(57) **CLAIM**

The ornamental design for a two-way communication device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, right front isometric view of one embodiment of a two-way communication device showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a rear elevational view thereof.


The broken lines shown in FIGS. 1-7 are included for the purpose of illustrating environmental elements only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







*FIG. 1*




**FIG. 2**




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*