



US00D451491B1

(12) **United States Design Patent**  
**Saito**

(10) **Patent No.:** **US D451,491 S**

(45) **Date of Patent:** **\*\* Dec. 4, 2001**

(54) **APPARATUS FOR REPRODUCING A SOUND SOURCE**

(75) **Inventor:** **Daisuke Saito, Shizuoka-ken (JP)**

(73) **Assignee:** **Yamaha Corporation, Shizuoka-ken (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/125,586**

(22) **Filed:** **Jun. 27, 2000**

(30) **Foreign Application Priority Data**

Dec. 28, 1999 (JP) ..... 11-36092

(51) **LOC (7) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/160**

(58) **Field of Search** ..... D14/154, 155,  
D14/158, 160-165, 167-168, 188-189,  
198, 217; 455/344, 347-351

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 244,699 \* 6/1977 Okamoto ..... D14/165  
D. 320,792 \* 10/1991 Okada et al. .... D14/163 X

D. 342,254 \* 12/1993 Furui ..... D14/195  
D. 347,008 \* 5/1994 Thelsen et al. .... D14/160  
D. 364,404 \* 11/1995 Theisen ..... D14/160  
D. 376,595 \* 12/1996 Torelli ..... D14/167 X  
D. 404,733 \* 1/1999 Crosby ..... D14/160 X

\* cited by examiner

*Primary Examiner*—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Weingarten, Schurgin, Gagnebin & Hayes LLP

(57) **CLAIM**

The ornamental design for an apparatus for reproducing a sound source, as shown.

**DESCRIPTION**

FIG. 1 is a top view of an apparatus for reproducing a sound source;

FIG. 2 is a front view thereof;

FIG. 3 is a right-side view thereof;



FIG. 4 is a left-side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a bottom view thereof; and,


FIG. 7 is a reference view showing the operation condition of the apparatus for reproducing a sound source.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**