



US00D451515B1

(12) **United States Design Patent**
Etienne

(10) **Patent No.:** **US D451,515 S**

(45) **Date of Patent:** **** Dec. 4, 2001**

(54) **GLARE VISOR**

(76) Inventor: **Larry R. Etienne**, 122 S. 51st St.,
Omaha, NE (US) 68132

(**) Term: **14 Years**

(21) Appl. No.: **29/118,028**

(22) Filed: **Feb. 1, 2000**

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/449**

(58) **Field of Search** D14/448-50; D2/879,
D2/882, 884; 359/599, 601-10, 614; 2/171,
195.1, 195.2, 195.5, 244, 246

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 256,119	7/1980	Klemm	D14/40
D. 305,648	1/1990	Edington	D14/114
D. 370,334 *	6/1996	Stevenson et al. .	
D. 372,229	7/1996	Samborsky	D14/114
D. 372,907	8/1996	Samborsky	D14/114
D. 373,762	9/1996	Samborsky	D14/114
D. 379,178 *	5/1997	Kane .	
D. 385,543	10/1997	Phirippidis et al.	D14/114
D. 391,741 *	3/1998	Baker .	
D. 397,580	9/1998	Dunn et al.	D7/402
D. 402,808	12/1998	Deloach	D3/269
D. 418,279 *	1/2000	Day .	
3,031,526	4/1962	Oberstein	178/7.82
3,564,138	2/1971	Harrold	178/7.9
3,781,471	12/1973	Hoffberger, II et al.	178/7.82
3,849,598	11/1974	Hoffberger, II et al.	178/7.82
4,444,465	4/1984	Giulie et al.	350/276 R
4,611,355 *	9/1986	Galanto et al. .	
4,863,242	9/1989	Correa	350/276 R

5,015,072	5/1991	Howell	350/276 R
5,095,385	3/1992	Stroll, Jr.	359/609
5,115,345	5/1992	Hobson et al.	359/601
5,121,253 *	6/1992	Waintrob .	
5,233,468	8/1993	McNulty	359/601
5,440,431	8/1995	Jeong	359/704
5,448,405	9/1995	Clausen et al.	359/601
5,564,209 *	10/1996	Zagnoli .	
5,903,923 *	5/1999	Morse et al. .	
5,943,702 *	8/1999	Kronenberger .	
6,158,055 *	12/2000	Park .	

* cited by examiner

Primary Examiner—M. H. Tung
(74) *Attorney, Agent, or Firm*—Zarley, McKee, Thomte,
Voorhees & Sease; Dennis L. Thomte


(57) **CLAIM**

The ornamental design for a glare visor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the glare visor of this invention, on an enlarged scale;
FIG. 2 is a top view of the glare visor of FIG. 1;
FIG. 3 is a side view of the glare visor of FIG. 1, the opposite side is a mirror image, except for the portion of the "N";
FIG. 4 is a front view of the glare visor of FIG. 1;
FIG. 5 is a rear view of the glare visor of FIG. 1; and,
FIG. 6 is a bottom view of the glare visor of FIG. 1.
The broken line drawing of the monitor in FIGS. 1, 3, 4, and 5 is for illustrative purposes only and forms no part of the claimed design. The broken lines on the glare visor represent stitching.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6