

US00D451603B1

(12) **United States Design Patent** (10) **Patent No.:** **US D451,603 S**  
**Bastyr et al.** (45) **Date of Patent:** **\*\* Dec. 4, 2001**

(54) **ELECTRONIC DISPLAY DEVICE**

(75) Inventors: **Charles A. Bastyr**, Del Mar; **Stephen O. Ross**, Oceanside, both of CA (US)

(73) Assignee: **DJ Orthopedics, LLC**, Vista, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/124,975**

(22) Filed: **Jun. 15, 2000**

(51) **LOC (7) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/186; D14/371**

(58) **Field of Search** ..... **D14/371, 341, D14/336, 218, 130, 346; D13/168; D24/186; 345/104, 133, 168**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 241,751	*	10/1976	Jensen et al.	.....	D14/130
D. 274,648	*	7/1984	Swanson	.....	D24/186
D. 355,644	*	2/1995	Risko	.....	D14/346
D. 375,792	*	11/1996	Hillman et al.	.....	D24/186
D. 413,328	*	8/1999	Kazama	.....	D14/218

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

WO 9636278	11/1996	(WO)	.
WO 9846441	10/1998	(WO)	.

**OTHER PUBLICATIONS**

Body Trends Online "Resistive Exercise Systems," <http://www.bodytrends.com/ncm.htm>, 2 pages, downloaded and printed from the World Wide Web on or about Mar. 24, 2000. Photograph No. 1 of a monitoring device having a monitor and a brace, designed by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

(List continued on next page.)

*Primary Examiner*—Freda Nunn

(74) *Attorney, Agent, or Firm*—Knobbe, Martens, Olson and Bear, L.L.P.

(57) **CLAIM**

The ornamental design for an electronic display device, as shown and described.

**DESCRIPTION**

FIG. 1 is a frontal top perspective view of an electronic display device in accordance with a preferred embodiment of the invention;

FIG. 2 is a bottom perspective view of the electronic display device of FIG. 1;

FIG. 3 is a top plan view of the electronic display device of FIG. 1;

FIG. 4 is a bottom plan view of the electronic display device of FIG. 1;

FIG. 5 is a left side elevation view of the electronic display device of FIG. 1;

FIG. 6 is a right side elevation view of the electronic display device of FIG. 1;

FIG. 7 is a front elevation view of the electronic display device of FIG. 1;

FIG. 8 is a rear elevation view of the electronic display device of FIG. 1;

FIG. 9 is a frontal top perspective view of an electronic display device in accordance with another embodiment of the invention;

FIG. 10 is a bottom perspective view of the electronic display device of FIG. 9;

FIG. 11 is a top plan view of the electronic display device of FIG. 9;

FIG. 12 is a bottom plan view of the electronic display device of FIG. 9;

FIG. 13 is a left side elevation view of the electronic display device of FIG. 9;


FIG. 14 is a right side elevation view of the electronic display device of FIG. 9;

FIG. 15 is a front elevation view of the electronic display device of FIG. 9; and,

FIG. 16 is a rear elevation view of the electronic display device of FIG. 9.

The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



## U.S. PATENT DOCUMENTS

D. 420,650	2/2000	Feirbach .
D. 424,534	5/2000	Priestman et al. .
D. 425,558	5/2000	Tarpenning et al. .
4,801,138	1/1989	Airy et al. .
5,052,375	10/1991	Stark et al. .
5,052,379	10/1991	Airy et al. .
5,368,546	11/1994	Stark et al. .
5,474,088	12/1995	Zaharkin et al. .
5,484,389	1/1996	Stark et al. .
5,823,975	10/1998	Stark et al. .
5,921,946	7/1999	Tillinghast et al. .
5,929,782	7/1999	Stark et al. .

## OTHER PUBLICATIONS

Photograph No. 2 of a monitor for a monitoring device by IZEX Technologies, Inc. and introduced by Applicants on or around Aug. 23, 1996.

Photograph No. 3 of a brace for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 4 of a brace for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 5 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 6 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 7 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 8 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 9 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 10 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Photograph No. 11 of an output screen for a monitoring device by IZEX Technologies, Inc. and introduced to Applicants on or around Aug. 23, 1996.

Description of Software Code for a monitoring device by IZEX Technologies, Inc., the Software Code being introduced to Applicants on or around Nov. 5, 1998, 3 pages, titled, "IZEX Rehab Prototype."

U.S. application No. 08/388,879.

U.S. application No. 08/520,802.

U.S. application No. 08/442,945.

U.S. application No. 08/824,065.

U.S. Provisional Patent Application No. 60/098,779.

U.S. Patent Application No. 09/226,866.

U.S. application No. 09/339,071.


U.S. application No. 09/330,749.

U.S. application No. 09/329,880.

U.S. application No. 09/416,192.


U.S. application No. 09/594,426.

\* cited by examiner




*Fig. 1*







*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*



*Fig. 7*




*Fig. 8*




*Fig. 9*







*Fig. 10*




*Fig. 11*




*Fig. 12*




*Fig. 13*



*Fig. 14*



*Fig. 15*



*Fig. 16*