



US00D451621B1

(12) **United States Design Patent**
Jones et al.

(10) **Patent No.:** **US D451,621 S**

(45) **Date of Patent:** **** Dec. 4, 2001**

(54) **COACHLIGHT**

(75) Inventors: **Dominic H. Jones**, Columbus, OH (US); **Victoria L. Brackney**, Atlanta, GA (US); **Donald J. Staufenberg**, Dublin, OH (US); **Ludwin M. Mora**, Worthington, OH (US)

(73) Assignee: **National Manufacturing Co.**, Sterling, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/127,627**

(22) Filed: **Aug. 9, 2000**

(51) **LOC (7) Cl.** **26-05**

(52) **U.S. Cl.** **D26/87**

(58) **Field of Search** D26/87, 92, 155,
D26/142; 362/147, 432

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 428,507 * 7/2000 De'Armand D26/85
- D. 439,362 * 3/2001 Berry D26/87

OTHER PUBLICATIONS

Sea gull lighting catalog, 1999, p. 213, wall lamp # 8519-02.*

Bright lighting catalog, 1995, p. 69, wall lamp # F7010H.*

* cited by examiner

Primary Examiner—Susan J. Lucas

(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a coachlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new coachlight design; FIG. 2 is a top plan view of the coachlight of FIG. 1; FIG. 3 is a front elevation view of the coachlight of FIG. 1; FIG. 4 is a right side view of the coachlight of FIG. 1; and, FIG. 5 is a bottom plan view of the coachlight of FIG. 1. The left side elevation view of the coachlight of FIG. 1, is a mirror image of FIG. 4.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4

