

US00D451864B1

(12) **United States Design Patent** (10) **Patent No.:** **US D451,864 S**
Seifert et al. (45) **Date of Patent:** **** Dec. 11, 2001**

(54) **TIRE TREAD**

(75) Inventors: **Shelley E. Seifert; John J. Regallis,**
both of Akron; **Todd Buxton,**
Barberton, all of OH (US)

(73) Assignee: **Bridgestone/Firestone Research, Inc.,**
Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,185**

(22) Filed: **Dec. 15, 2000**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/147**

(58) **Field of Search** D12/134-152;
152/209.1, 209.9, 209.16, 209.25, 209.27,
902, 903

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 344,052	2/1994	Attinello et al.	D12/147
D. 344,478 *	2/1994	Consolacion et al.	D12/147
D. 369,768	5/1996	Wakamatsu et al.	D12/147
D. 380,183	6/1997	Matsuda et al.	D12/147
D. 381,606	7/1997	Graas et al.	D12/147
D. 381,944 *	8/1997	Regallis et al.	D12/147
D. 390,519	2/1998	White et al.	D12/147
D. 394,029 *	5/1998	Gillard et al.	D12/141
D. 403,994	1/1999	Williams et al.	D12/146
D. 412,471	8/1999	Downey et al.	D12/146
D. 417,420	12/1999	Villamizar et al.	D12/147
D. 429,667	8/2000	Fierro et al.	D12/147

OTHER PUBLICATIONS

Atlas Pacemark Metric Radial Tire, 1999 Tread Design Guide, Jan. 1999, p. 12. 3/1.*
 Bridgestone Potenza RE92 Tire, 1999 Tread Design Guide, Jan. 1999, p. 14. 4/1.*

Falken SN-813 Tire, 1999 Tread Design Guide, Jan. 1999, p. 29. 1/3.*

Bridgestone Potenza RE92 Tire, Costco Tire Brochure#50308, 3/98.*

Specification Sheet for Firestone Firehawk GTA/GTA02 All-Season High Performance Radial Tires.

Speciafcation Sheet fro Bridgestone Potenza RE92 Tires.

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown in FIG. 2; the broken lines defining the tire sidewall and inner bead and the peripheral boundary between the tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4