



US00D451918B1

(12) **United States Design Patent**
Kizu

(10) **Patent No.:** **US D451,918 S**

(45) **Date of Patent:** **** Dec. 11, 2001**

(54) **DATA INPUT/OUTPUT APPARATUS**

(75) Inventor: **Kohei Kizu, Chiba (JP)**

(73) Assignee: **Seiko Instruments Inc. (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/132,318**

(22) Filed: **Nov. 7, 2000**

(30) **Foreign Application Priority Data**

May 11, 2000 (JP) 12-012422

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/341**

(58) **Field of Search** D14/341, 344,
D14/346, 347; D18/1, 2, 7; 341/22, 23;
345/156, 168, 169, 172, 173, 87; 349/12

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 283,711 * 5/1986 Deura et al. D14/347

D. 312,821 * 12/1990 Kemp D14/340
D. 313,401 * 1/1991 Tanabe D14/346
D. 390,542 * 2/1998 Fushiya et al. D14/387
5,874,906 * 2/1999 Willner et al. 341/22

* cited by examiner

Primary Examiner—Freda Nunn

(74) *Attorney, Agent, or Firm*—Adams & Wilks





(57) **CLAIM**

The ornamental design for a data input/output apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a data input/output apparatus showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof; and,
FIG. 6 is a left side elevational view thereof.

1 Claim, 2 Drawing Sheets






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6