



US00D451927B1

(12) **United States Design Patent**
Itakura

(10) **Patent No.:** **US D451,927 S**

(45) **Date of Patent:** **** Dec. 11, 2001**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

(75) Inventor: **Airi Itakura**, Yokohama (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/137,429**

(22) Filed: **Feb. 22, 2001**

(30) **Foreign Application Priority Data**

Aug. 25, 2000 (JP) 12-023435

(51) **LOC (7) Cl.** **16-03**

(52) **U.S. Cl.** **D14/469**

(58) **Field of Search** D14/462-471;
358/400-404

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 303,960 * 10/1989 Toru et al. D14/469
- D. 358,811 * 5/1995 Chien D14/469

- D. 370,905 * 6/1996 Ishio D14/469
- 5,172,243 * 12/1992 Hayshi et al. 358/400
- 5,337,165 * 8/1994 Riouset et al. 358/401 X

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a right side view thereof; and,
 FIG. 7 is a perspective view thereof.

1 Claim, 4 Drawing Sheets




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 7

