



US00D451927B1

(12) **United States Design Patent**  
**Itakura**

(10) **Patent No.:** **US D451,927 S**

(45) **Date of Patent:** **\*\* Dec. 11, 2001**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

(75) Inventor: **Airi Itakura**, Yokohama (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/137,429**

(22) Filed: **Feb. 22, 2001**

(30) **Foreign Application Priority Data**

Aug. 25, 2000 (JP) ..... 12-023435

(51) **LOC (7) Cl.** ..... **16-03**

(52) **U.S. Cl.** ..... **D14/469**

(58) **Field of Search** ..... D14/462-471;  
358/400-404

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 303,960 \* 10/1989 Toru et al. .... D14/469
- D. 358,811 \* 5/1995 Chien ..... D14/469

- D. 370,905 \* 6/1996 Ishio ..... D14/469
- 5,172,243 \* 12/1992 Hayshi et al. .... 358/400
- 5,337,165 \* 8/1994 Riouset et al. .... 358/401 X

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;  
 FIG. 2 is a rear view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a right side view thereof; and,  
 FIG. 7 is a perspective view thereof.

**1 Claim, 4 Drawing Sheets**




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6





FIG. 5



*FIG. 7*

