



US00D452181B1

(12) **United States Design Patent** (10) **Patent No.:** **US D452,181 S**
Zurwelle (45) **Date of Patent:** **** Dec. 18, 2001**

(54) **LIGHT DETECTOR**

D. 412,862 * 8/1999 Maeyama D10/106

(75) Inventor: **Donald W. Zurwelle**, Lutherville, MD
(US)

* cited by examiner

(73) Assignee: **Black & Decker Inc.**, Newark, DE
(US)

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Adan Ayala

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a light detector, as shown and described.

(21) Appl. No.: **29/137,579**

DESCRIPTION

(22) Filed: **Feb. 23, 2001**

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106**

(58) **Field of Search** D10/104, 106,
D10/116, 121; D26/37-50, 51, 119; 362/157,
158, 171, 173, 183-208

FIG. 1 is a front perspective view of an embodiment of a light detector showing my new design.

FIG. 2 is a front elevational view of the embodiment.

FIG. 3 is a rear elevational view of the embodiment.

FIG. 4 is a right side elevational view of the embodiment.

FIG. 5 is a left side elevational view of the embodiment.

FIG. 6 is a top plan view of the embodiment; and,


FIG. 7 is a bottom plan view of the embodiment.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 391,186 * 2/1998 Fagence D10/106

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7