



US00D452185B1

(12) **United States Design Patent**  
**Yoshiguchi**

(10) **Patent No.:** **US D452,185 S**

(45) **Date of Patent:** **\*\* Dec. 18, 2001**

(54) **BUCKLE**

(75) **Inventor:** **Manabu Yoshiguchi, Yokohama (JP)**

(73) **Assignee:** **Nifco Inc., Yokohama (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/106,306**

(22) **Filed:** **Jun. 15, 1999**

(30) **Foreign Application Priority Data**

Dec. 21, 1998 (JP) ..... 10-36525

(51) **LOC (7) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/218**

(58) **Field of Search** ..... D11/201, 200,  
D11/215, 216, 218, 219; 24/305, 307, 625,  
169, 196, 171, 74

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 328,044 \* 7/1992 Murai ..... D11/200

D. 328,045 \* 7/1992 Matoba ..... D11/218

D. 347,601 \* 6/1994 Anscher ..... D11/200

D. 352,254 \* 11/1994 Prosser ..... D11/200

5,216,786 \* 6/1993 Anscher ..... 24/200

5,651,166 \* 7/1997 Lundstedt ..... 24/200

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a buckle showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;






FIG. 5 is a left side view thereof, the right side view being symmetrical to the left side view;

FIG. 6 is a cross sectional view taken along line 6—6 in FIG. 1; and,

FIG. 7 is a perspective view thereof.

**1 Claim, 2 Drawing Sheets**








FIG. 7