



US00D452460B1

(12) **United States Design Patent**  
**Sacco et al.**

(10) **Patent No.:** **US D452,460 S**

(45) **Date of Patent:** **\*\* Dec. 25, 2001**

(54) **SURFACE CONFIGURATION OF A VEHICLE AND/OR TOY**

(75) Inventors: **Bruno Sacco**, Sindelfingen; **Peter Pfeiffer**, Boeblingen, both of (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/119,484**

(22) Filed: **Mar. 1, 2000**

(51) **LOC (7) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/92**

(58) **Field of Search** ..... D12/90-92, 86;  
296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D. 395,847	*	7/1998	Sacco et al.	.....	D12/92
D. 407,997	*	4/1999	Sacco et al.	.....	D12/92
D. 410,595	*	6/1999	Sacco et al.	.....	D12/92
D. 419,488	*	1/2000	Sacco et al.	.....	D12/92
D. 419,489		1/2000	Sacco et al.	.....	D12/92

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle and/or toy, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a surface configuration of a vehicle and/or toy according to our novel design;

FIG. 2 is a rear perspective view of the first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 3 is a left view of the first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 4 is a right view of the first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 5 is a front view of the first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 6 is a rear view of the first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 7 is a top view of a first embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 8 is a front perspective view of a second embodiment of a surface configuration of a vehicle and/or toy according to our novel design;

FIG. 9 is a rear perspective view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 10 is a left view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design;

FIG. 11 is a right view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design;



FIG. 12 is a front view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design;



FIG. 13 is a rear view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design; and,

FIG. 14 is a top view of the second embodiment of the surface configuration of a vehicle and/or toy according to our novel design.

The broken lines included depict environment and are not part of the claimed design.

**1 Claim, 8 Drawing Sheets**








FIG. 4




FIG. 6




FIG. 5




FIG. 3






FIG. 7






FIG. 11




FIG. 12




FIG. 13




FIG. 10






FIG. 14