



US00D452475B1

(12) **United States Design Patent** (10) **Patent No.:** **US D452,475 S**  
**Reynolds** (45) **Date of Patent:** **\*\* Dec. 25, 2001**

(54) **REMOTELY SWITCHABLE POWER SUPPLY FOR NETWORK DEVICE RACKS HAVING EIGHT POWER OUTLET OPENINGS AND SIXTEEN NETWORK PORT OPENINGS**

(75) Inventor: **Charles H. Reynolds, Gilroy, CA (US)**

(73) Assignee: **Cyber Switching, Inc., Santa Clara, CA (US)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/115,990**

(22) Filed: **Dec. 21, 1999**

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/110**

(58) **Field of Search** ..... **D13/110, 123, D13/184, 162, 164; 307/150, 151, 38; 361/643, 728; 340/825.31**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 288,920 \* 3/1987 Oesterheld et al. .... D13/139.8
- D. 340,699 \* 10/1993 Chen ..... D13/164

(List continued on next page.)

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Stephen J. LeBlanc; The Law Offices of Jonathan Alan Quine

(57) **CLAIM**

The ornamental design for remotely switchable power supply for network device racks having eight power outlet openings and sixteen network port openings, as shown and described.

**DESCRIPTION**

This application is related to the following design applications by the same inventor, each of which is incorporated by reference and each of which was filed on the same day as this application: Remotely Switchable Power Supply for Network Device Racks having Ports and Outlets on One Sur-

face; a/n 29/115,992 filed Dec. 21, 1999 and Remotely Switchable Power Supply for Network Device Racks having Network Ports and Power Outlets on Different Surfaces; a/n 29/115,991 filed Dec. 21, 1999.

This application is related to the following utility application by the same inventor, which is incorporated by reference and which was filed on the same day as this application: Method and Apparatus for an Improved Remotely Switchable Power Supply; a/n 09/471,101 filed Dec. 21, 1999.

This application is related to the following previously filed design and utility applications by the same inventor, each of which is incorporated by reference: Remotely Switchable Power Supply for Network Device Racks having Eight Network Ports and Four Power Outlets; a/n 29/104,720 filed May 11, 1999; Network Remotely Switchable Power Supply; a/n 29/104,765, filed May 11, 1999; Network Port and Power Outlet Placed on a Switchable Power Supply; a/n 29/104,721 filed May 11, 1999; and Method and Apparatus for a Remotely Switchable Power Supply; a/n 09/309,321 filed May 11, 1999.

The article is a power supply strip that includes power supply receptacles and network connections and that allows a remotely network device to cause the power provided by the power supply receptacles to cycle.

FIG. 1 is a perspective view of a remotely switchable power supply for network device racks having eight power outlet openings and sixteen network port openings showing my new design;

FIG. 2 is a top plan view thereof; the bottom plan view being a mirror image thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view, the left side elevational view being a mirror image thereof; and,


FIG. 5 is a rear elevational view thereof;

FIG. 6 is a first alternative rear elevational view thereof, the difference being the shapes of the network and power receptacles; and,

FIG. 7 is a second alternative rear elevational view thereof, the difference being the shapes of the network and power receptacles.

The broken line showing throughout the drawing figures is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D452,475 S

Page 2

---

## U.S. PATENT DOCUMENTS

D. 354,737	*	1/1995	Fladung	.....	D13/164	4,993,970	*	2/1991	Littrell	.....	439/535
D. 356,297	*	3/1995	Carl et al.	.....	D13/160	5,181,858	*	1/1993	Matz et al.	.....	439/188
D. 366,248	*	1/1996	Owens	.....	D13/184	5,493,542	*	2/1996	Odelid	.....	368/10
D. 380,447	*	7/1997	Chen et al.	.....	D13/164	5,632,648	*	5/1997	Liu	.....	439/550
4,731,029	*	3/1988	Lerner et al.	.....	439/4	5,649,839	*	7/1997	Yu	.....	439/650
4,840,570	*	6/1989	Mann, Jr. et al.	.....	439/74						

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7