



US00D452656B1

(12) **United States Design Patent**
So

(10) **Patent No.:** **US D452,656 S**

(45) **Date of Patent:** **** Jan. 1, 2002**

(54) **CLOCK INCORPORATING A
COMBINATION SUPPORT LEG/COVER**

Primary Examiner—Martie K. Holtje
(74) *Attorney, Agent, or Firm*—Norton R. Townsley; The
Soni Law Firm

(76) **Inventor:** **Yuet Leung (Vinson) So**, Room 1006,
10/F, Riley House, 88 Lei Muk Road,
Kwai Chung, N.T. (HK)

(57) **CLAIM**

I claim the ornamental design for the clock incorporating a
combination support leg/cover, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/145,160**

FIG. 1 is a perspective view of my new clock with its
support leg fully deployed;

(22) **Filed:** **Jul. 16, 2001**

FIG. 2 is front elevational view thereof with its support leg
fully deployed;

(51) **LOC (7) Cl.** **10-01**

(52) **U.S. Cl.** **D10/15; D10/18**

FIG. 3 is a rear elevational view from the top thereof with
its support leg fully deployed;

(58) **Field of Search** D10/1, 2, 3-15,
D10/16-18, 19-40, 122-132; 368/10, 28-30,
41-44, 82-84, 239-242, 276, 277, 280-282,
285, 316, 317

FIG. 4 is an elevational view from one side thereof with its
support leg fully deployed, the elevational view thereof from
the other side being a mirror image;

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,858,662	A	*	11/1958	Didesheim	368/276
D297,713	S	*	9/1988	Rittenhouse et al.	D10/15
D304,304	S	*	10/1989	Charet et al.	D10/15
D304,807	S	*	11/1989	Iacovelli	D10/15
D375,902	S	*	11/1996	Wong	D10/15
D424,950	S	*	5/2000	Martinez	D10/15

FIG. 5 is a top view thereof with its support leg fully
deployed;

OTHER PUBLICATIONS

Hong Kong Enterprise, Oct. 1990, p. 103, see circled clock,
item No. STC49, upper right.*

Custom Accessories, 1996, p. 18, see circled clock, item No.
12242, page center.*

FIG. 6 is a rear elevational view from the bottom thereof
with its support leg fully deployed;

FIG. 7 is a front elevational view thereof with its support leg
in the closed, self-covering position;

FIG. 8 is a rear elevational view thereof with its support leg
in the closed, self-covering position;


FIG. 9 is an elevational view from one side thereof with its
support leg in the closed, self-covering position, the eleva-
tional view thereof from the other side being a mirror image;

FIG. 10 is a top view thereof with its support leg in the
closed, self-covering position; and,

FIG. 11 is a bottom view thereof with its support leg in the
closed, self-covering position.

* cited by examiner

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11