



US00D452661B1

(12) **United States Design Patent**
Nishimuro

(10) **Patent No.:** **US D452,661 S**

(45) **Date of Patent:** **** Jan. 1, 2002**

(54) **ELECTROMAGNETIC SOUND GENERATOR**

(75) Inventor: **Toshiya Nishimuro**, Yamanashi-ken
(JP)

(73) Assignee: **Citizen Electronics Co., Ltd.**,
Fujiyoshida (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/141,388**

(22) Filed: **May 7, 2001**

(30) **Foreign Application Priority Data**

Nov. 17, 2000 (JP) 12-033043

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/116**

(58) **Field of Search** D10/104, 106,
D10/116, 121; D13/152, 156; 340/384.1,
384.3, 384.7, 388.1, 390.1, 391.1, 392.2,
392.4

(56) **References Cited**

U.S. PATENT DOCUMENTS

D410,210 S * 5/1999 Akasaki D10/116

D411,127 S * 6/1999 Kuwabara D10/116

D440,174 S * 4/2001 Asahina D10/116

D443,842 S * 6/2001 Kuwabara D10/116

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Dennison, Scheiner &
Schultz

(57) **CLAIM**

The ornamental design for an electromagnetic sound generator, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an electromagnetic sound generator embodying our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a perspective view as viewed from the upper side thereof; and,

FIG. 8 is a perspective view as viewed from the lower side thereof.

1 Claim, 5 Drawing Sheets




FIG . 1




FIG . 2




FIG . 3




FIG . 4




FIG . 5




FIG . 6




FIG . 7




FIG . 8

