



US00D452807B1

(12) **United States Design Patent**
Gartner

(10) **Patent No.:** **US D452,807 S**

(45) **Date of Patent:** **** Jan. 8, 2002**

(54) **ELECTRONIC LOCK DIGITAL INPUT PAD HOUSING**

D305,861 S * 2/1990 Kautt D8/330
D353,530 S * 12/1994 Gartner D8/330

(75) Inventor: **Klaus W. Gartner**, Torrance, CA (US)

* cited by examiner

(73) Assignee: **U-Code, Inc.**, Torrance, CA (US)

Primary Examiner—Jennifer Rivard

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/126,669**

The ornamental design for an electronic lock digital input pad housing, as shown and described.

(22) Filed: **Jul. 21, 2000**

DESCRIPTION

(51) **LOC (7) Cl.** **08-07**

FIG. 1 is a perspective view of the electronic lock digital input pad housing;

(52) **U.S. Cl.** **D8/330; D8/343**

FIG. 2 is a bottom view;

(58) **Field of Search** D8/330, 331, 343;

FIG. 3 is a top view;

70/271, 277, 278.1, 278.4, 284, 285; 292/DIG. 37;

FIG. 4 is a front view;

D14/383-387; 340/5.21, 5.54, 5.65, 5.73,

FIG. 5 is a back view; and,

5.81, 5.85

FIG. 6 is a right side view, the left side being a mirror image thereof.


(56) **References Cited**

The broken line environmental showing is for illustrative purposes only and forms no part of the claimed design.

U.S. PATENT DOCUMENTS

D290,442 S * 6/1987 Floyd et al. D8/330

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6