

US00D452841B1

(12) **United States Design Patent** (10) **Patent No.:** **US D452,841 S**  
**Tuhkanen** (45) **Date of Patent:** **\*\* Jan. 8, 2002**

(54) **CHARGER**

(75) Inventor: **Petri Tuhkanen**, Oulu (FI)

(73) Assignee: **Salcomp Oy**, Kemijarvi (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/142,030**

(22) Filed: **May 18, 2001**

(30) **Foreign Application Priority Data**

Dec. 21, 2000 (FI) ..... M20000943

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108**

(58) **Field of Search** ..... D13/107, 108,  
D13/110; 320/107-115

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D308,044 S \* 5/1990 Chandler ..... D13/110  
D373,993 S 9/1996 Kettula  
D381,622 S \* 7/1997 Gorton ..... D13/110  
D431,020 S 9/2000 Harjunpaa et al.

**OTHER PUBLICATIONS**

Salcomp BIRDY—Fast mini charger—<http://www.salcomp.com/products.phtml?id=6>—Accessed Sunday, Oct. 21, 2001.\*

Salcomp Oy, “Products,” <http://www.salcomp.com/products.phtml>, May 18, 2001.

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis, L.L.P.

(57) **CLAIM**

The ornamental design for a charger, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, rear, left side perspective view of a charger showing my new design;

FIG. 2 is a bottom, front, right side perspective view thereof;

FIG. 3 is a top, rear, right side perspective view thereof;

FIG. 4 is a bottom, plan view thereof;



FIG. 5 is a left side elevational view thereof;


FIG. 6 is a front elevational view thereof;

FIG. 7 is a right side elevational view thereof; and,


FIG. 8 is a top plan view thereof.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*



*FIG. 6*



*FIG. 7*



*FIG. 8*