



US00D452894B1

(12) **United States Design Patent**  
**Benini**

(10) **Patent No.:** **US D452,894 S**

(45) **Date of Patent:** **\*\* Jan. 8, 2002**

(54) **BULLET**

(75) **Inventor:** **Joseph C. Benini**, Kersey, PA (US)

(73) **Assignee:** **Sinterfire Inc.**, Kersey, PA (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/135,336**

(22) **Filed:** **Jan. 10, 2001**

(51) **LOC (7) Cl.** ..... **22-03**

(52) **U.S. Cl.** ..... **D22/116**

(58) **Field of Search** ..... D22/100, 115,  
D22/116, 199; 102/439, 501, 507, 510,  
516, 518, 519

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D298,348 S	*	11/1988	Posey	.....	D22/116
4,836,110 A	*	6/1989	Burczynski	.....	102/508
5,569,874 A	*	10/1996	Nelson	.....	102/516 X
5,698,816 A	*	12/1997	Roxby	.....	102/516
5,852,255 A	*	12/1998	Hallis et al.	.....	102/516 X
D435,626 S	*	12/2000	Benini	.....	D22/116

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

(57) **CLAIM**

The ornamental design for the bullet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of my new design, the outer portion of the base being shown in dashed lines;


FIG. 2 is the side view of the design of FIG. 1 with the outer portion of the base being shown in dashed lines, the side views of the design having six-axis symmetry;


FIG. 3 is the top view of the design of FIGS. 1 and 2; and,

FIG. 4 is the bottom view of FIGS. 1–3, with the outer portion of the base being shown in dashed lines.


The outer portion of the base of the bullet, forms no part of my design.

**1 Claim, 3 Drawing Sheets**







**FIG. 1**



**FIG. 2**



**FIG. 4**



**FIG. 3**