



US00D453017S

(12) **United States Design Patent**
Gledhill

(10) **Patent No.:** **US D453,017 S**

(45) **Date of Patent:** **** Jan. 22, 2002**

(54) **TELEPHONE HANDSET SHOULDER REST**

(76) Inventor: **Dale C. Gledhill**, 790 W. 1760 South,
Salt Lake City, UT (US) 84104

(**) Term: **14 Years**

(21) Appl. No.: **29/135,498**

(22) Filed: **Jan. 11, 2001**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/253**

(58) **Field of Search** D14/140, 142,
D14/240, 251-253, 248, 138, 147-148;
379/433.43, 419, 420, 428, 440, 446, 447,
449-450, 454-455; 455/90; D3/8, 10; D6/601;
135/68, 73

(56) **References Cited**

U.S. PATENT DOCUMENTS

D134,108 S	*	10/1942	Adler	D8/402
2,362,642 A	*	11/1944	Lamb	135/73
2,486,438 A	*	11/1949	Scarlett	379/449
3,567,871 A	*	3/1971	Walter	379/449
D240,434 S	*	7/1976	Martinsen	D14/253
D247,312 S	*	2/1978	Zeiss	D24/215
D273,677 S	*	5/1984	Martinsen	D14/253
D276,229 S	*	11/1984	Heilner	D14/253
D278,057 S	*	3/1985	McMaster	D14/253
D290,956 S	*	7/1987	Witham	D14/253
D291,200 S	*	8/1987	Dyke	D14/253
D294,025 S	*	2/1988	Boykiw	D14/253
D308,062 S	*	5/1990	Leoni et al.	D14/253
D323,828 S	*	2/1992	Martinsen et al.	D14/253
D323,829 S	*	2/1992	Martinsen et al.	D14/253
D350,356 S	*	9/1994	Wood	D14/253
D410,380 S	*	6/1999	Towns	D8/402

OTHER PUBLICATIONS

B.A.Pargh 1992 Spring Summer catalog, p. 337, two Softalk shoulder rests 2nd from bottom left and right.*

B.A.Pargh 19989,90 Fall/Winter catalog, p. 375, Softalk shoulder rest at top left and TEC shoulder 2nd from top right.*

Hello Direct 1993 Summer catalog, p. 47, two Softalk shoulder rests at top left.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(57) **CLAIM**

What is claimed is the ornamental design for the telephone handset shoulder rest, as shown in the attached drawings.

DESCRIPTION

FIG. 1 is a right side view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 2 is a left side view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 3 is a top view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 4 is a bottom view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 5 is a front end view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 6 is a rear view of the telephone handset shoulder rest of the present invention according to first size.

FIG. 7 is a right side view of the telephone handset shoulder rest of the present invention according to second size.

FIG. 8 is a left side view of the telephone handset shoulder rest of the present invention according to second size.

FIG. 9 is a top view of the telephone handset shoulder rest of the present invention according to second size.

FIG. 10 is a bottom view of the telephone handset shoulder rest of the present invention according to second size.

FIG. 11 is a front end view of the telephone handset shoulder rest of the present invention according to second size; and,

FIG. 12 is a rear view of the telephone handset shoulder rest of the present invention according to second size.

1 Claim, 2 Drawing Sheets







FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

