



US00D453118S

(12) **United States Design Patent**
Masuda

(10) **Patent No.:** **US D453,118 S**

(45) **Date of Patent:** **** Jan. 29, 2002**

(54) **AUDIBLE SIGNAL FOR ALARMS**

D407,339 S * 3/1999 Muller D10/116
D429,178 S * 8/2000 Yuen D10/116

(75) Inventor: **Mitsuhiro Masuda**, Shizuoka (JP)

* cited by examiner

(73) Assignee: **Star Micronics Co., Ltd.**, Shizuoka (JP)

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/139,256**

The ornamental design for an audible signal for alarms, as shown.

(22) Filed: **Mar. 28, 2001**

(30) **Foreign Application Priority Data**

DESCRIPTION

Sep. 29, 2000 (JP) 12-027525

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/116**

(58) **Field of Search** D10/104, 106,
D10/116, 118, 120, 121; 340/384.1, 384.3,
384.7, 388.1, 390.1, 391.1, 392.2, 392.4

FIG. 1 is a perspective view of the front and top of an audible signal for alarms showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D401,588 S * 11/1998 Fushimi D10/116

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

