



US00D453292S

(12) **United States Design Patent** (10) **Patent No.:** **US D453,292 S**
Tsuzuki (45) **Date of Patent:** **** Feb. 5, 2002**

(54) **HANDLE GRIP**

(76) Inventor: **Hiroshi Tsuzuki**, 11-26, Daito-cho, Anjyou-shi, Aichi-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/133,258**

(22) Filed: **Nov. 28, 2000**

(51) **LOC (7) Cl.** **08-06**

(52) **U.S. Cl.** **D8/300; D8/303**

(58) **Field of Search** **D8/300, 303; 74/551.8, 74/551.9; 16/110 R, 110.5, 111 R, DIG. 12**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,185 S	*	2/1994	Vela	D8/300 X
D352,441 S	*	11/1994	Oury et al.	D8/303
D352,443 S	*	11/1994	Chen	D8/303
D381,887 S	*	8/1997	Chen	D8/303
D404,282 S	*	1/1999	Hsu	D8/303

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

I claim the ornamental design of a handle grip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a grip for a golf club having my new design;

FIG. 2 is a top, plan view of the grip of FIG. 1;

FIG. 3 is a bottom, plan view of the grip of FIG. 1;

FIG. 4 is a front, side view of the grip of FIG. 1, the rear, side view being the same;

FIG. 5 is a left-side view of the grip of FIG. 1, the right-side view being the same;

FIG. 6 is a cross-sectional view taken along line VI—VI of FIG. 4;

FIG. 7 is a cross-sectional view taken along line VII—VII of FIG. 4;

FIG. 8 is a perspective view in reduced scale of the grip in use with a gold club;

FIG. 9 is a perspective view of a second embodiment of a grip for an article such as a two-wheeled trolley having my new design;

FIG. 10 is a top, plan view of the grip of the second embodiment of FIG. 9;

FIG. 11 is a bottom, plan view of the grip of FIG. 9;

FIG. 12 is a front, side view of the grip of the second embodiment of FIG. 9, the rear, side view being the same;

FIG. 13 is a left-side view of the grip of the second embodiment of FIG. 9, the right-side view being the same;

FIG. 14 is a cross-sectional view taken along line XIV—XIV of FIG. 12;

FIG. 15 is a cross-sectional view taken along line XV—XV of FIG. 12; and,

FIG. 16 is a perspective view in reduced scale of the grip of the second embodiment in use with a two-wheeled trolley.

The broken lines shown in FIGS. 8 and 16 are for illustrative purposes only and form no part of the claimed invention.

1 Claim, 7 Drawing Sheets







FIG. 1




F I G . 2




F I G . 3




F I G . 4




F I G . 5




F I G . 6




F I G . 8




F I G . 7




F I G. 9



F I G. 10




F I G. 11



F I G. 12

XV ←




XIV ↑


XIV ↑

XV ←


F I G. 13



F I G. 14



F I G. 15



F I G. 16

