



US00D453300S

(12) **United States Design Patent**  
**Schoenfish et al.**

(10) **Patent No.:** **US D453,300 S**

(45) **Date of Patent:** **\*\* Feb. 5, 2002**

(54) **ELECTRONIC NAVIGATION INSTRUMENT**

(75) **Inventors:** **Brian G. Schoenfish**, Kansas City;  
**David Laverick**, Overland Park;  
**Christopher Hanshaw**, Lenexa, all of  
KS (US)

(73) **Assignee:** **Garmin Ltd. (KY)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/142,405**

(22) **Filed:** **May 24, 2001**

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/65**

(58) **Field of Search** ..... D10/65; 361/394,  
361/422, 784; 364/444, 499, 708.1, 450;  
367/111, 88, 98, 908; 342/357, 419, 457;  
343/878, 702

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |        |                   |       |        |
|------------|--------|-------------------|-------|--------|
| D243,589 S | 3/1977 | Moore             | ..... | D10/46 |
| D244,434 S | 5/1977 | Moore             | ..... | D10/46 |
| D264,191 S | 5/1982 | Jondrow           | ..... | D10/46 |
| D273,471 S | 4/1984 | Overs             | ..... | D10/46 |
| D273,569 S | 4/1984 | Overs             | ..... | D10/46 |
| D273,570 S | 4/1984 | Overs             | ..... | D10/46 |
| D273,571 S | 4/1984 | Overs             | ..... | D10/46 |
| D273,574 S | 4/1984 | Overs             | ..... | D10/46 |
| D273,575 S | 4/1984 | Overs             | ..... | D10/46 |
| D274,890 S | 7/1984 | Wilbert et al.    | ..... | D10/46 |
| D275,264 S | 8/1984 | Wegener, II       | ..... | D8/373 |
| D275,450 S | 9/1984 | Wegener, II       | ..... | D8/373 |
| D278,690 S | 5/1985 | Steensland et al. | ..... | D10/46 |
| D279,766 S | 7/1985 | Honda             | ..... | D10/46 |

|            |          |                     |       |         |
|------------|----------|---------------------|-------|---------|
| D286,384 S | 10/1986  | Grilk               | ..... | D10/109 |
| D289,265 S | 4/1987   | Wood et al.         | ..... | D10/46  |
| D293,735 S | 1/1988   | Ault                | ..... | D3/38   |
| D296,767 S | 7/1988   | Wood et al.         | ..... | D10/46  |
| D314,346 S | 2/1991   | Spencer et al.      | ..... | D10/46  |
| D325,880 S | 5/1992   | Havins              | ..... | D10/80  |
| D344,239 S | 2/1994   | Suggs               | ..... | D10/65  |
| D389,757 S | * 1/1998 | Nishimura et al.    | ..... | D10/65  |
| D390,137 S | * 2/1998 | Nishimura et al.    | ..... | D10/65  |
| D394,405 S | 5/1998   | Cummings et al.     | ..... | D10/46  |
| D400,450 S | 11/1998  | Cummings et al.     | ..... | D10/46  |
| D401,525 S | 11/1998  | Sone et al.         | ..... | D10/116 |
| D401,881 S | 12/1998  | Sone et al.         | ..... | D10/116 |
| D441,670 S | 5/2001   | Jackson et al.      | ..... | D10/65  |
| D442,924 S | 5/2001   | Dermikaelian et al. | ....  | D13/184 |
| D445,043 S | * 7/2001 | Bendinelli          | ..... | D10/65  |
| D447,708 S | * 9/2001 | Fischer             | ..... | D10/65  |

\* cited by examiner

*Primary Examiner*—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Devon A. Rolf


(57) **CLAIM**

The ornamental design for an electronic navigation instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the electronic navigation instrument of the present invention;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a rear view thereof.

**1 Claim, 3 Drawing Sheets**






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 7.




Fig. 5.




Fig. 6.