



US00D453301S

(12) **United States Design Patent**
Vermillion

(10) **Patent No.:** **US D453,301 S**

(45) **Date of Patent:** **** Feb. 5, 2002**

(54) **LASER RANGE FINDER**

(75) Inventor: **Jordan Vermillion**, Overland Park, KS (US)

(73) Assignee: **Bushnell Corporation**, Overland Park, KS (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/138,419**

(22) Filed: **Mar. 13, 2001**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/66**

(58) **Field of Search** D10/66; 356/4.01, 356/141.2, 141.5, 138-155; 33/490, 100

(56) **References Cited**

U.S. PATENT DOCUMENTS

D333,276 S * 2/1993 Donn D10/66
5,949,529 A * 9/1999 Dunne et al. 356/4.01

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Hovey, Williams, Timmons & Collins

(57) **CLAIM**

The ornamental design for a laser range finder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a laser range finder showing a new design;

FIG. 2 is a top plan view of the range finder;

FIG. 3 is a left side elevational view of the range finder;

FIG. 4 is a right side elevational view of the range finder;

FIG. 5 is a front perspective view of a first alternative embodiment of the range finder of the present invention;

FIG. 6 is a top plan view of a first alternative embodiment of the range finder of the present invention;

FIG. 7 is a left side elevational view of a first alternative embodiment of the range finder of the present invention;

FIG. 8 is a right side view of an first alternative embodiment of the range finder of the present invention;

FIG. 9 is a front perspective view of a second alternative embodiment of the range finder of the present invention;

FIG. 10 is a top plan view of a second alternative embodiment of the range finder of the present invention;

FIG. 11 is a left side elevational view of a second alternative embodiment of the range finder of the present invention;


FIG. 12 is a right side view of a second alternative embodiment of the range finder of the present invention;

FIG. 13 is a front elevational view of all embodiments of the range finder of the present invention;

FIG. 14 is a back elevational view of all embodiments of the range finder of the present invention;

FIG. 15 is a bottom plan view of all embodiments of the range finder fo the present invention.

1 Claim, 7 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.

Fig. 6.




Fig. 7.





Fig. 8.






Fig. 9.




Fig. 10.





Fig. 11.

Fig. 12.






Fig. 14.

Fig. 13.




Fig. 15.

