



US00D453301S

(12) **United States Design Patent**  
**Vermillion**

(10) **Patent No.:** **US D453,301 S**

(45) **Date of Patent:** **\*\* Feb. 5, 2002**

(54) **LASER RANGE FINDER**

(75) Inventor: **Jordan Vermillion**, Overland Park, KS (US)

(73) Assignee: **Bushnell Corporation**, Overland Park, KS (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/138,419**

(22) Filed: **Mar. 13, 2001**

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/66**

(58) **Field of Search** ..... D10/66; 356/4.01, 356/141.2, 141.5, 138-155; 33/490, 100

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D333,276 S \* 2/1993 Donn ..... D10/66  
5,949,529 A \* 9/1999 Dunne et al. .... 356/4.01

\* cited by examiner

*Primary Examiner*—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Hovey, Williams, Timmons & Collins

(57) **CLAIM**

The ornamental design for a laser range finder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a laser range finder showing a new design;

FIG. 2 is a top plan view of the range finder;

FIG. 3 is a left side elevational view of the range finder;

FIG. 4 is a right side elevational view of the range finder;

FIG. 5 is a front perspective view of a first alternative embodiment of the range finder of the present invention;

FIG. 6 is a top plan view of a first alternative embodiment of the range finder of the present invention;

FIG. 7 is a left side elevational view of a first alternative embodiment of the range finder of the present invention;

FIG. 8 is a right side view of an first alternative embodiment of the range finder of the present invention;

FIG. 9 is a front perspective view of a second alternative embodiment of the range finder of the present invention;

FIG. 10 is a top plan view of a second alternative embodiment of the range finder of the present invention;

FIG. 11 is a left side elevational view of a second alternative embodiment of the range finder of the present invention;


FIG. 12 is a right side view of a second alternative embodiment of the range finder of the present invention;


FIG. 13 is a front elevational view of all embodiments of the range finder of the present invention;

FIG. 14 is a back elevational view of all embodiments of the range finder of the present invention;


FIG. 15 is a bottom plan view of all embodiments of the range finder fo the present invention.

**1 Claim, 7 Drawing Sheets**







*Fig. 1.*




*Fig. 2.*



*Fig. 3.*




*Fig. 4.*




*Fig. 5.*


*Fig. 6.*




*Fig. 7.*




*Fig. 8.*






*Fig. 9.*





*Fig. 10.*



*Fig. 11.*


*Fig. 12.*





*Fig. 14.*

*Fig. 13.*



*Fig. 15.*

