



US00D453421S

(12) **United States Design Patent**  
**Greenfield et al.**

(10) **Patent No.: US D453,421 S**

(45) **Date of Patent: \*\* \*Feb. 12, 2002**

(54) **EMBOSSED PAPER**

(75) Inventors: **Steven H. Greenfield**, Duluth, MN  
(US); **Carl Ingalls**, Wallingford, PA  
(US)

(73) Assignee: **Potlatch Corporation**, Spokane, WA  
(US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

4,671,983 A	6/1987	Burt	
4,759,967 A	7/1988	Bauernfiend	
4,803,032 A	2/1989	Schulz	
5,198,242 A	3/1993	Groebbacher et al.	
5,312,570 A	5/1994	Halter	
5,383,778 A	1/1995	Schulz	
D373,905 S	* 9/1996	Schulz	D5/53
5,597,639 A	1/1997	Schulz	
D382,713 S	8/1997	Giesler, Sr.	
D386,620 S	* 11/1997	Giesler	D5/53
D391,400 S	* 3/1998	Enderby	D5/53
D392,108 S	3/1998	Diggins et al.	

(List continued on next page.)

(21) Appl. No.: **29/138,532**

(22) Filed: **Mar. 14, 2001**

(51) **LOC (7) Cl.** ..... **05-06**

(52) **U.S. Cl.** ..... **D5/53; D5/57**

(58) **Field of Search** ..... D5/1, 2, 6, 11,  
D5/16, 20, 24, 25, 26, 27, 28, 32, 35, 37,  
38, 39, 45, 47, 49, 50, 52, 53, 54, 55, 56,  
57, 58, 59, 60, 61, 62, 63, 66, 99; D2/749,  
883, 889, 980, 984, 994; D6/613, 595,  
603, 608, 596, 604, 606, 616, 617; D24/124,  
125; D25/142; 428/154, 156, 171, 187,  
199, 542.6, 904.4, 542.2, 198, 17; 5/413 AM,  
709; D7/396.4, 396.5; D9/310; 162/134,  
231, 140; 156/209

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D140,784 S	* 2/1945	Vogelman	D5/62
2,696,638 A	12/1954	Bower	
D181,205 S	* 10/1957	Kerkovius	D5/47
2,854,336 A	9/1958	Gutknecht	
2,890,540 A	6/1959	Britt	
3,708,366 A	1/1973	Donnelly	
4,000,242 A	12/1976	Hartbauer	
4,284,465 A	8/1981	Walbrun	
4,307,141 A	12/1981	Walbrun	
4,320,162 A	3/1982	Schulz	
4,483,728 A	11/1984	Bauernfiend	

*Primary Examiner*—Doris V. Coles

*Assistant Examiner*—T. Chase Nelson

(74) *Attorney, Agent, or Firm*—Wells, St. John, Roberts,  
Gregory, & Matkin, P.S.

(57) **CLAIM**

The ornamental design for an embossed paper, as shown and described.

**DESCRIPTION**


FIG. 1 is a top plan view of an embossed paper according to the design showing one outer ply of the embossed paper; the unit bounded by dashed lines being repeated;

FIG. 2 is an enlarged fragmentary sectional view taken along line 2—2 in FIG. 1;

FIG. 3 is a bottom plan view of an embossed paper according to the design showing another outer ply of the embossed paper; the unit bounded by dashed lines being repeated; and, FIG. 4 is an enlarged fragmentary sectional view taken along line 4—4 in FIG. 3.

The dashed lines within the central portion of the embossed paper represent one repeat unit of the surface pattern and the broken lines around the periphery of the paper product in FIGS. 1 and 3 indicate that it repeats indeterminately in all directions, it being understood that the surface pattern repeats uniformly throughout the length and width of the embossed paper.

**1 Claim, 2 Drawing Sheets**



# US D453,421 S

Page 2

---

U.S. PATENT DOCUMENTS				
		6,113,723 A	* 9/2000 McNeil et al. ....	156/209
5,846,636 A	12/1998 Ruppel et al.	D431,371 S	* 10/2000 Ingalls et al. ....	D5/57
D419,307 S	1/2000 Boyce	D431,372 S	* 10/2000 Ingalls et al. ....	D5/57
D420,517 S	* 2/2000 Guillot et al. ....	D441,541 S	* 5/2001 Greenfield et al. ....	D5/53
D430,406 S	* 9/2000 Ingalls .....			
D430,407 S	* 9/2000 Ingalls .....			

\* cited by examiner




FIG. 1




FIG. 2

