



US00D453440S

(12) **United States Design Patent**  
**Fraser et al.**

(10) **Patent No.:** **US D453,440 S**

(45) **Date of Patent:** **\*\* Feb. 12, 2002**

(54) **BEAD LOCATOR FOR CONTROL SYSTEM  
IN ARCHITECTURAL COVERINGS**

D346,929 S \* 5/1994 Frasier et al. .... D6/580

**FOREIGN PATENT DOCUMENTS**

(75) Inventors: **Donald E. Fraser**, Owensboro;  
**Richard N. Anderson**, Whitesville,  
both of KY (US)

GB 2158137 11/1985

\* cited by examiner

(73) Assignee: **Hunter Douglas Inc.**, Upper Saddle  
River, NJ (US)

*Primary Examiner*—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

We claim the ornamental design for a bead locator for control system in architectural coverings, as shown.

(21) Appl. No.: **29/102,159**

**DESCRIPTION**

(22) Filed: **Mar. 18, 1999**

(51) **LOC (7) Cl.** ..... **06-10**

(52) **U.S. Cl.** ..... **D6/580**

(58) **Field of Search** ..... D6/580; D8/107,  
D8/94, 83; 160/177, 176.1, 384, 178 R,  
166 R, 167

FIG. 1 is an isometric view looking upwardly toward the bottom of the bead locator of the present invention.

FIG. 2 is an isometric looking down on the bead locator.

FIG. 3 is a bottom plan view of the bead locator.

FIG. 4 is a front elevation.

FIG. 5 is a top plan view.

FIG. 6 is a left side elevation.

FIG. 7 is a rear elevation; and,



FIG. 8 is a right side elevation.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


4,697,629 A \* 10/1987 Anderson ..... 160/177

**1 Claim, 3 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**



**Fig. 6**



**Fig. 7**



**Fig. 8**