



US00D453440S

(12) **United States Design Patent**
Fraser et al.

(10) **Patent No.:** **US D453,440 S**

(45) **Date of Patent:** **** Feb. 12, 2002**

(54) **BEAD LOCATOR FOR CONTROL SYSTEM
IN ARCHITECTURAL COVERINGS**

D346,929 S * 5/1994 Frasier et al. D6/580

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Donald E. Fraser**, Owensboro;
Richard N. Anderson, Whitesville,
both of KY (US)

GB 2158137 11/1985

* cited by examiner

(73) Assignee: **Hunter Douglas Inc.**, Upper Saddle
River, NJ (US)

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(**) Term: **14 Years**

(57) **CLAIM**

We claim the ornamental design for a bead locator for control system in architectural coverings, as shown.

(21) Appl. No.: **29/102,159**

DESCRIPTION

(22) Filed: **Mar. 18, 1999**

(51) **LOC (7) Cl.** **06-10**

(52) **U.S. Cl.** **D6/580**

(58) **Field of Search** D6/580; D8/107,
D8/94, 83; 160/177, 176.1, 384, 178 R,
166 R, 167

FIG. 1 is an isometric view looking upwardly toward the bottom of the bead locator of the present invention.

FIG. 2 is an isometric looking down on the bead locator.

FIG. 3 is a bottom plan view of the bead locator.

FIG. 4 is a front elevation.

FIG. 5 is a top plan view.

FIG. 6 is a left side elevation.

FIG. 7 is a rear elevation; and,



FIG. 8 is a right side elevation.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,697,629 A * 10/1987 Anderson 160/177

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8