



US00D453620S

(12) **United States Design Patent**  
**Vazquez**

(10) **Patent No.: US D453,620 S**

(45) **Date of Patent: \*\* \*Feb. 19, 2002**

(54) **VARIABLE GATHER BAG WITH CIRCULAR POCKET**

(75) **Inventor: Maximino Vazquez, New York, NY (US)**

(73) **Assignee: Maxworld, Inc., New York, NY (US)**

(\* **Notice:** This patent is subject to a terminal disclaimer.

(\*\*) **Term: 14 Years**

(21) **Appl. No.: 29/114,608**

(22) **Filed: Nov. 29, 1999**

(51) **LOC (7) Cl. .... 03-01**

(52) **U.S. Cl. .... D3/244**

(58) **Field of Search** ..... D3/232, 233, 238, D3/244, 245, 246, 303; 150/103, 106, 110, 112; 190/103, 107, 109; 383/2, 4, 38, 39, 40, 41, 71, 72, 74, 75, 117, 907

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,479,137 A \* 1/1924 Guinzberg ..... 383/907
- 1,491,711 A 4/1924 Levine
- 1,600,633 A \* 9/1926 Hildebrand ..... 383/907

(List continued on next page.)

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a variable gather bag with circular pocket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a variable gather bag with circular pocket having a first preselected fabric in at least one of a color and a pattern shown in a substantially uncompressed state, in an uncinched condition and with a carry strap, and further showing the circular pocket;

FIG. 2 is a front elevational view of the bag of FIG. 1, now in a partially compressed state;

FIG. 3 is a front elevational view of the bag of FIG. 1, now in a substantially compressed state;

FIG. 4 is a rear elevational view of the bag of FIG. 1;

FIG. 5 is a rear elevational view of the bag of FIG. 2;

FIG. 6 is a rear elevational view of the bag of FIG. 3;

FIG. 7 is a right side view of the bag of FIG. 1;

FIG. 8 is a right side view of the bag of FIG. 2;

FIG. 9 is a right side view of the bag of FIG. 3;

FIG. 10 is a front elevational view of the bag of FIG. 1, now shown in a cinched condition;

FIG. 11 is a front elevational view of the bag of FIG. 2, now shown in a cinched condition;

FIG. 12 is a front elevational view of the bag of FIG. 3, now shown in a cinched condition;

FIG. 13 is a rear elevational view of the bag of FIG. 10;

FIG. 14 is a rear elevational view of the bag of FIG. 11;

FIG. 15 is a rear elevational view of the bag of FIG. 12;

FIG. 16 is a right side view of the bag of FIG. 10;

FIG. 17 is a right side view of the bag of FIG. 11;

FIG. 18 is a right side view of the bag of FIG. 12;

FIG. 19 is a top plan view of the bag of FIG. 1, wherein the carry strap is shown slackened for clarity of the top view;

FIG. 20 is a top plan view of the bag of FIG. 10, wherein the carry strap is shown slackened for clarity of the top view;


FIG. 21 is a bottom view of the bag of FIG. 9, wherein the carry strap is shown slackened; and

FIG. 22 is a front elevational view of the bag of FIG. 1, now showing the circular pocket in a second preselected fabric which is different than the first preselected fabric; and,

FIG. 23 now is a front elevational view of the bag of FIG. 1; showing the circular pocket in a three-quarter open-pocket configuration.

The broken line showing of hardware (e.g., the cord lock, closure, carry strap) as well as the position of the hardware relative to the claimed design and any other broken lines are to show the environment only and are not part of the claimed design.

**1 Claim, 9 Drawing Sheets**



# US D453,620 S

Page 2

---

## U.S. PATENT DOCUMENTS

2,123,447 A	7/1938	Waite .....	2/48	D341,486 S	11/1993	Frank .....	D3/42
2,493,085 A	1/1950	Pincus .....	150/1.7	D350,024 S	8/1994	Ryker .....	D3/202
D205,756 S	9/1966	Triplett .....	D9/2	D369,467 S	5/1996	Cole .....	D3/300
3,322,176 A	5/1967	Geller .....	150/1.7	D374,975 S	* 10/1996	Vargas et al. ....	D3/244 X
3,746,066 A	7/1973	McIntyre .....	150/33	D385,452 S	10/1997	Marti .....	D6/601
D250,737 S	1/1979	Brosk .....	D2/226	D389,642 S	1/1998	Nadel .....	D3/254
4,196,534 A	4/1980	Shinbamoto .....	40/10 R	5,765,691 A	* 6/1998	Hall .....	383/2 X
D258,998 S	4/1981	Pratt et al. ....	D3/41	5,799,336 A	9/1998	Cooper .....	2/247
4,267,868 A	* 5/1981	Lowe .....	383/2	5,809,576 A	9/1998	Hutson et al. ....	2/247
4,301,549 A	11/1981	Ingram .....	2/250	5,881,383 A	3/1999	Perkins .....	2/144
4,838,709 A	6/1989	Guerriero et al. ....	383/18	D418,974 S	1/2000	Vazquez .....	D3/226
5,050,999 A	9/1991	Van Loon, III .....	383/76	D437,481 S	* 2/2001	Vazquez .....	D3/244

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23