



US00D453691S

(12) **United States Design Patent** (10) **Patent No.:** **US D453,691 S**
Stekelenburg (45) **Date of Patent:** **** Feb. 19, 2002**

(54) **PHOTOELECTRIC TIMER**

(75) Inventor: **Albert Stekelenburg**, Taipei (TW)

(73) Assignee: **All-Line Inc.**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/114,138**

(22) Filed: **Nov. 19, 1999**

(51) **LOC (7) Cl.** **10-03**

(52) **U.S. Cl.** **D10/40**

(58) **Field of Search** D10/1-40, 122-132;
368/96-100, 107-121, 276-277, 285, 316,
317; 307/140 R, 141 R, 141.4

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,839,533 A	*	6/1989	Aga	307/140
5,258,656 A	*	11/1993	Pawlick	307/141
D386,430 S	*	11/1997	Czerlanis et al.	D10/40
D390,792 S		2/1998	Stekelenburg	D10/40

FOREIGN PATENT DOCUMENTS

JP 60-21475 * 2/1985

OTHER PUBLICATIONS

Intermatic Catalog—p. 27—Outdoor timer/photo control @ left.*

* cited by examiner

Primary Examiner—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—Dougherty & Troxell

(57) **CLAIM**


The ornamental design for a photoelectric timer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a photoelectric timer showing the preferred embodiment of my new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a bottom view thereof;
 FIG. 4 is a top view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a rear elevational view thereof; and,
 FIG. 7 is a perspective view thereof.

The cord of the timer in FIGS. 1-2 and 5-6 is shown broken away to indicate indeterminate length.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7