



US00D453892S

(12) **United States Design Patent**  
**Lindsay et al.**

(10) **Patent No.:** **US D453,892 S**

(45) **Date of Patent:** **\*\* Feb. 26, 2002**

(54) **CONTAINER**

(75) Inventors: **Dean Lindsay**, Winnitka; **J. Tirso Olivares**, Chicago, both of IL (US); **Joel W. Wennerstrom**, Brookyn, NY (US); **James P. Black**, Twinsburg, OH (US); **Douglas S. Martin**, New Castle, PA (US)

(73) Assignee: **McNeil-PPC, Inc.**, Skillman, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/131,062**

(22) Filed: **Oct. 13, 2000**

(51) **LOC (7) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D7/596**

(58) **Field of Search** ..... D7/590-597, 612-615, D7/629; D9/509, 530, 535, 537-543, 447, 449, 454; 215/381-384, 400; 222/142.1-142.9, 196.1, 480, 482

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |   |         |                  |       |          |
|-------------|---|---------|------------------|-------|----------|
| D97,400 S   | * | 11/1935 | Lewis            | ..... | D9/539   |
| 2,950,833 A |   | 8/1960  | Short            |       |          |
| 3,140,019 A | * | 7/1964  | Barr             | ..... | 222/480  |
| 3,499,588 A |   | 3/1970  | Bartilson et al. |       |          |
| 3,563,417 A |   | 2/1971  | Jordan et al.    |       |          |
| D248,204 S  |   | 6/1978  | Daenen           |       |          |
| D269,315 S  |   | 6/1983  | Conti            |       |          |
| D269,316 S  | * | 6/1983  | Conti            | ..... | D7/591   |
| D278,602 S  |   | 4/1985  | Rosenstein       |       |          |
| D282,442 S  | * | 2/1986  | Kohnle           | ..... | D9/530 X |
| D291,411 S  |   | 8/1987  | Crawford         |       |          |
| 4,693,399 A |   | 9/1987  | Hickman et al.   |       |          |
| 4,714,181 A |   | 12/1987 | Kozlowski et al. |       |          |
| 4,881,668 A |   | 11/1989 | Kitteman et al.  |       |          |
| D305,206 S  |   | 12/1989 | Hickman et al.   |       |          |
| 4,898,292 A |   | 2/1990  | VerWeyst et al.  |       |          |
| 4,936,494 A |   | 6/1990  | Weidman          |       |          |

|             |         |               |
|-------------|---------|---------------|
| 4,955,513 A | 9/1990  | Bennett       |
| D318,778 S  | 8/1991  | Fiore et al.  |
| 5,085,331 A | 2/1992  | Groya et al.  |
| D328,010 S  | 7/1992  | Daenen et al. |
| D331,537 S  | 12/1992 | Tucker        |
| 5,203,467 A | 4/1993  | Tucker        |
| 5,219,100 A | 6/1993  | Beck et al.   |
| D340,187 S  | 10/1993 | Forsyth       |
| D340,188 S  | 10/1993 | Forsyth       |
| 5,330,082 A | 7/1994  | Forsyth       |
| 5,339,993 A | 8/1994  | Groya et al.  |
| 5,421,472 A | 6/1995  | Beckertgis    |
| 5,465,871 A | 11/1995 | Robbins, III  |
| 5,509,582 A | 4/1996  | Robbins, III  |
| 5,697,509 A | 12/1997 | Hayes         |
| 5,971,231 A | 10/1999 | Samz et al.   |

\* cited by examiner

*Primary Examiner*—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Hal Woodrow


(57) **CLAIM**

The ornamental design for the container, substantially as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of the container of our new design as seen from the top, front and left sides;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a right side elevational view thereof the left side elevation being a mirror image;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a perspective view of the new design as seen with the right lid in an upright position exposing the pour spout thereof; and,  
 FIG. 8 is a perspective view of the new design as seen with the left lid in an upright position exposing the larger aperture thereof.


**1 Claim, 6 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**

