



US00D453916S

(12) **United States Design Patent** (10) **Patent No.:** **US D453,916 S**
Adams (45) **Date of Patent:** **** Feb. 26, 2002**

(54) **CLEAT DEVICE**

(76) Inventor: **Mark J. Adams**, P.O. Box 11278,
Bainbridge Island, WA (US) 98110

(**) Term: **14 Years**

(21) Appl. No.: **29/118,387**

(22) Filed: **Feb. 7, 2000**

(51) **LOC (7) Cl.** **12-06**

(52) **U.S. Cl.** **D12/317**

(58) **Field of Search** D12/317; D8/356;
114/218

(56) **References Cited**

U.S. PATENT DOCUMENTS

78,964 A	6/1868	Haskins
517,597 A	4/1894	Twitty
533,603 A	2/1895	McEvoy
557,984 A	4/1896	Foran
D29,330 S	9/1898	Gaskill
1,291,341 A	1/1919	Young
1,691,412 A	11/1928	Ruetz et al.
1,694,312 A	12/1928	Clark
1,770,967 A	7/1930	Bean
2,011,532 A	8/1935	Wanser, Sr.
2,098,238 A	11/1937	Halpine
2,136,014 A	11/1938	McDonald
2,472,939 A	6/1949	Connolly
2,649,069 A	8/1953	Halpine
D179,328 S	11/1956	Stewart
2,833,240 A	5/1958	Semolic
2,870,733 A	1/1959	Winther
2,876,729 A	3/1959	Georgette
D186,906 S	12/1959	Behnk et al.
D187,197 S	2/1960	Sanger et al.
D191,885 S	12/1961	Corlett
3,112,726 A	12/1963	Faul
3,126,858 A	3/1964	Rosinski
3,190,253 A	6/1965	Grimm
3,334,914 A	8/1967	Vierregger
3,344,264 A	9/1967	Perkins
3,398,922 A	8/1968	Martin
D215,405 S	9/1969	Patnaude
D216,222 S	12/1969	Magi et al.

D219,574 S	12/1970	Cahen	
D227,216 S	6/1973	Miller	
D227,217 S	6/1973	Pick	
3,747,554 A	7/1973	Allen	
D239,258 S	3/1976	Faul	
4,147,122 A	* 4/1979	Merry	114/218
D255,419 S	6/1980	Hume	
4,270,478 A	6/1981	Kafka et al.	
4,344,378 A	8/1982	Martin	
4,685,500 A	8/1987	Silvia	
4,690,090 A	* 9/1987	Tuttle	114/218
D299,311 S	1/1989	Whitley, II	
D300,721 S	4/1989	Whitley, II	
D301,683 S	6/1989	Whitley, II	
D355,352 S	* 2/1995	Whitley, II	D8/356
5,477,800 A	12/1995	Lawrence	
5,477,801 A	12/1995	Lawrence	
5,613,457 A	* 3/1997	Frank et al.	114/218

* cited by examiner

Primary Examiner—Lisa Lichtenstein
(74) *Attorney, Agent, or Firm*—Christensen O'Connor
Johnson Kindness PLLC

(57) **CLAIM**


The ornamental design for a cleat device, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of the cleat device; FIG. 2 is a top rear perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a side elevation view thereof; FIG. 5 is an end elevation view thereof, the opposite end being a mirror image of that shown; FIG. 6 is a bottom plan view thereof; FIG. 7 is an opposite side elevation view thereof; FIG. 8 is a cross-sectional view taken along line 8—8 in FIG. 7; and, FIG. 9 is a cross-sectional view taken along line 9—9 in FIG. 7.

The broken line showing of environmental structure in FIGS. 1–8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des 453,916 S
DATED : February 26, 2002
INVENTOR(S) : M.J. Adams

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [30], **Foreign Application Priority Data**, insert in appropriate order the following:

-- **Foreign Application Priority Data**
[30] Aug. 13, 1998 (WO) PCT/US98/16826 --

Item [60] **Related U.S. Application Data**, insert in appropriate order the following:

-- **Related U.S. Application Data**
[60] Application No. 08/910,644, filed on Aug. 13, 1997, now
Pat. No. 5,878,684. --

Signed and Sealed this

Eleventh Day of June, 2002

Attest:



Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office