



US00D454056S

(12) **United States Design Patent**  
**Kung**

(10) **Patent No.:** **US D454,056 S**

(45) **Date of Patent:** **\*\* Mar. 5, 2002**

(54) **RETAINING CLIP**

(75) Inventor: **Tsung-Min Kung**, Kaohsiung (TW)

(73) Assignee: **Taiwan Industrial Fastener Corporation**, Taipei (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/144,194**

(22) Filed: **Jun. 28, 2001**

(51) **LOC (7) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/395; D19/65**

(58) **Field of Search** ..... **D8/394-396; D19/65; 24/499, 501, 511, 530**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 769,336 A \* 9/1904 Cahn et al.
- D302,568 S \* 8/1989 Berger
- D306,876 S \* 3/1990 Greenhut et al.
- 5,079,808 A \* 1/1992 Brown
- D335,078 S \* 4/1993 Hampshire
- D393,878 S \* 4/1998 Suzuki
- D406,169 S \* 2/1999 Wolff
- D445,834 S \* 7/2001 Huang
- 6,302,366 B1 \* 10/2001 Saylor et al.

\* cited by examiner

*Primary Examiner*—B. J. Bullock

(74) *Attorney, Agent, or Firm*—Rabin & Berdo, P.C.


(57) **CLAIM**


The ornamental design for a retaining clip, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a retaining clip showing my new design, which includes a male and a female element; FIG. 2 is top view of the retaining clip; FIG. 3 is a bottom view of the retaining clip; FIG. 4 is a left side view of the retaining clip; FIG. 5 is a right side view of the retaining clip; FIG. 6 is a front view of the retaining clip; FIG. 7 is a rear view of the retaining clip; FIG. 8 is a perspective view of the male element, shown separately for clarity of illustration; FIG. 9 is a top view of the male element of FIG. 8; FIG. 10 is a bottom view of the male element of FIG. 8; FIG. 11 is a left side view of the male element of FIG. 8; FIG. 12 is a right side view of the male element of FIG. 8; FIG. 13 is a front view of the male element of FIG. 8; FIG. 14 is a rear view of the male element of FIG. 8; FIG. 15 is a perspective view of the female element, shown separately for ease of illustration; FIG. 16 is a top view of the female element of FIG. 15; FIG. 17 is a bottom view of the female element of FIG. 15; FIG. 18 is a left side view of the female element of FIG. 15; FIG. 19 is a right side view of the female element of FIG. 15; FIG. 20 is a front view of the female element of FIG. 15; and, FIG. 21 is a rear view of the female element of FIG. 15.

**1 Claim, 12 Drawing Sheets**







**FIG. 1**




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*




**FIG. 6**




**FIG. 7**




**FIG. 8**




*FIG. 9*



*FIG. 10*




*FIG. 11*




*FIG. 12*







***FIG. 13***




***FIG. 14***




**FIG. 15**




*FIG. 16*




*FIG. 17*




***FIG. 18***



***FIG. 19***



**FIG. 20**



**FIG. 21**