



US00D454122S

(12) **United States Design Patent** (10) **Patent No.:** **US D454,122 S**
Hori et al. (45) **Date of Patent:** **** Mar. 5, 2002**

(54) **TELEVISION RECEIVER FOR VEHICLE**

5,173,686 A * 12/1992 Fujihara 248/920
D391,251 S * 2/1998 Yuyama et al. D14/132

(75) Inventors: **Tomoo Hori; Toshiyuki Itabashi**, both
of Kanagawa (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Matsushita Electric Industrial Co.,
Ltd.**, Osaka (JP)

JP 0031577 * 2/1990
JP 1023655 10/1998

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/133,324**

Primary Examiner—Raphael Barkai

(22) Filed: **Nov. 27, 2000**

(74) *Attorney, Agent, or Firm*—Christensen O'Connor
Johnson Kindness PLLC

(30) **Foreign Application Priority Data**

Aug. 21, 2000 (JP) 2000-022882

(57) **CLAIM**

The ornamental design for a television receiver for vehicle,
as shown and described.

(51) **LOC (7) Cl.** **14-03**

DESCRIPTION

(52) **U.S. Cl.** **D14/132**

(58) **Field of Search** D14/125–136,
D14/239, 371, 374, 315, 327, 375, 451;
D12/415–418, 345; D6/513; 296/37.1, 37.8,
37.7, 70; 224/311, 539; 180/90; 248/917–924;
312/7.2; 340/995, 461; 345/905; 348/148,
825, 827, 836–838, 840


FIG. 1 is a perspective view of the top, front and right side
of a television receiver for vehicle showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view of top, front and right side
thereof in the condition of being contained.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,983,951 A * 1/1991 Igarashi et al. 340/461
5,161,028 A * 11/1992 Kawata et al. 312/7.2

1 Claim, 8 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

