



US00D454173S

(12) **United States Design Patent**
Almasian et al.

(10) **Patent No.: US D454,173 S**
(45) **Date of Patent: ** Mar. 5, 2002**

(54) **FILTER CARTRIDGE CONTAINER**

(75) Inventors: **Joseph Almasian**, Watertown, MA (US); **Mark Carroll**, Londonderry, NH (US); **David McInerney**, Tewksbury, MA (US); **Kevin McInerney**, Chelmsford, MA (US); **Chau Nguyen**, Boston, MA (US); **Giulia Paliotti**, Lexington, MA (US); **Jeremy Perreault**, Leominster, MA (US)

(73) Assignee: **Millipore Corporation**, Bedford, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/137,191**

(22) Filed: **Feb. 14, 2001**

(51) **LOC (7) Cl. 23-01**

(52) **U.S. Cl. D23/209**

(58) **Field of Search D23/200, 207, D23/209; 210/282, 232**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D188,688 S	*	8/1960	Sicard	D23/209
D295,887 S	*	5/1988	Hopkins	D23/207
D320,640 S	*	10/1991	Goodwin	D23/209
5,256,284 A	*	10/1993	Lee	210/232

* cited by examiner

Primary Examiner—Robin V. Taylor

(74) *Attorney, Agent, or Firm*—Hamilton, Brook, Smith & Reynolds, P.C.

(57) **CLAIM**

The ornamental design for a filter cartridge container, as shown and described.

DESCRIPTION

The article is a container for holding a filter cartridge.

FIG. 1 is a front view of the filter cartridge container embodying our new design, the opposite side being a mirror image.

FIG. 2 is a side view of the filter cartridge container.

FIG. 3 is a top view of the filter cartridge container.

FIG. 4 is a bottom view of the filter cartridge container.

FIG. 5 is a perspective view of the filter cartridge container.

FIG. 6 is a front view of a second embodiment of the filter cartridge container embodying our new design, the opposite side being a mirror image.

FIG. 7 is a side view of the second embodiment of the filter cartridge container.

FIG. 8 is a top view of the second embodiment of the filter cartridge container.

FIG. 9 is a bottom view of the second embodiment of the filter cartridge container.

FIG. 10 is a perspective view of the second embodiment of the filter cartridge container.

FIG. 11 is a front view of a third embodiment of the filter cartridge container embodying our new design, the opposite side being a mirror image.

FIG. 12 is a side view of the third embodiment of the filter cartridge container.

FIG. 13 is a top view of the third embodiment of the filter cartridge container.

FIG. 14 is a bottom view of the third embodiment of the filter cartridge container.

FIG. 15 is a perspective view of the third embodiment of the filter cartridge container.

FIG. 16 is a front view of a fourth embodiment of the filter cartridge container embodying our new design, the opposite side being a mirror image.




FIG. 17 is a side view of the fourth embodiment of the filter cartridge container.

FIG. 18 is a top view of the fourth embodiment of the filter cartridge container.

FIG. 19 is a bottom view of the fourth embodiment of the filter cartridge container; and,

FIG. 20 is a perspective view of the fourth embodiment of the filter cartridge container.

1 Claim, 16 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20