

US00D454238S

# (12) United States Design Patent (10) Patent No.:

US D454,238 S \*Mar. 5, 2002 Skalka (45) Date of Patent: \*\*

### TRASH CAN RECEPTACLE

Gerald P. Skalka, 9904 Avenel Farm Inventor:

Dr., Potomac, MD (US) 20854

Notice: This patent is subject to a terminal dis-

claimer.

14 Years Term:

(21) Appl. No.: 29/121,054

Filed: Mar. 31, 2000

LOC (7) Cl. ...... 09-09

U.S. Cl. ...... D34/1

(58)D34/11; 220/908, 909, 910, 911

**References Cited** (56)

## U.S. PATENT DOCUMENTS

711,410 A	4	10/1902	Means
1,080,470 A	4	12/1913	Nutter et al.
D51,368 S	S	10/1917	Ellis
1,512,976 A	4	10/1924	Burkhardt
D195,906 S	S	8/1963	Hickerson
D216,372 S	S	12/1969	Lipko
D304,253 S	S	10/1989	Skalka
D304,632 S	S	11/1989	Skalka
D306,928 S	S	3/1990	Hanna
4,955,497 A	4	9/1990	Winden et al.
D314,461 S	S *	2/1991	Skalka D34/5
D353,250 S	S *	12/1994	Skalka D34/1
D371,657 S	S *	7/1996	Kirn et al
5,624,050 A	4 *	4/1997	Haas 220/909 X
D394,930 S	S *	6/1998	Creske
D397,361 S	S *	8/1998	Goodman et al D34/1 X
D417,053 S	S	11/1999	Skalka
D421,824 S	S *	3/2000	Hornyak D34/1
D423,166 S	S *	4/2000	Hornyak D34/1
D424,769 S	S *	5/2000	Hornyak D34/1

## FOREIGN PATENT DOCUMENTS

DE 25 00 381 7/1975

## OTHER PUBLICATIONS

Victor Stanley, Inc. Products, Ironsites<sup>™</sup> Series: S–42, Lid Options, www.victorstanley.com/html/ironsites-s42.html (Jun. 28, 2000).

\* cited by examiner

Primary Examiner—Cynthia E. Ramirez (74) Attorney, Agent, or Firm—Jacobson Holman, PLLC

**CLAIM** (57)

An ornamental design for a trash can receptacle, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a perspective view of a trash can receptacle showing a first embodiment of my new design, shown with the door in an open position.

FIG. 2 is a perspective view of the trash can receptacle of FIG. 1, shown with the door in a closed position.

FIG. 3 is a left side elevational view of the trash can receptacle of FIG. 1, shown with the door in a closed position, the right side elevational view being a mirror image thereof.

FIG. 4 is a front elevational view of the trash can receptacle of FIG. 1, shown with the door in a closed position.

FIG. 5 is a rear elevational view of the trash can receptacle of FIG. 1, shown with the door in a closed position.

FIG. 6 is a top plan view of the trash can receptacle of FIG. 1, shown with the door in a closed position.


FIG. 7 is a bottom plan view of the trash can receptacle of FIG. 1, shown with the door in a closed position.


FIG. 8 is a perspective view of a trash can receptacle showing a second embodiment of my new design, shown with the door in an open position.

FIG. 9 is a perspective view of the trash can receptacle of FIG. 8, shown with the door in a closed position.

FIG. 10 is a left side elevational view of the trash can receptacle of FIG. 8, shown with the door in a closed position, the right side elevational view being a mirror image thereof.

FIG. 11 is a front elevational view of the trash can receptable of FIG. 8, shown with the door in a closed position.








FIG. 12 is a rear elevational view of the trash can receptacle of FIG. 8, shown with the door in a closed position.

FIG. 13 is a top plan view of the trash can receptacle of FIG. 8, shown with the door in a closed position.

FIG. 14 is a bottom plan view of the trash can receptacle of FIG. 8, shown with the door in a closed position.

FIG. 15 is a side elevational view of the trash can receptacle showing a third embodiment of my new design, shown with the door in a closed position, the third embodiment being identical to the first embodiment except for the width of the vertical bars, and the top and bottom views thereof being identical to the views of FIGS. 6 and 7.

FIG. 16 is a side elevational view of a trash can receptacle showing a fourth embodiment of my new design, shown with the door in a closed position, the fourth embodiment being identical to the second embodiment except for the width of the vertical bars, and the top and bottom views thereof being identical to the views of FIGS. 13 and 14.

FIG. 17 is a perspective view of a trash can receptacle showing a fifth embodiment of my new design, shown with the door in an open position.

FIG. 18 is a perspective view of the trash can receptacle of FIG. 17, shown with the door in a closed position.

FIG. 19 is a left side elevational view of the trash can receptacle of FIG. 17, shown with the door in a closed position, the right side elevational view being a mirror image thereof.

FIG. 20 is a front elevational view of the trash can receptacle of FIG. 17, shown with the door in a closed position.

FIG. 21 is a rear elevational view of the trash can receptacle of FIG. 17, shown with the door in a closed position.

FIG. 22 is a top plan view of the trash can receptacle of FIG. 17, shown with the door in a closed position; and,

FIG. 23 is a bottom plan view of the trash can receptacle of FIG. 17, shown with the door in a closed position.

1 Claim, 10 Drawing Sheets





FIG. 1



F/G. 2





FIG. 3



F/G. 6




FIG. 7




FIG. 4







FIG. 5



F/G.8



F/G. 9



F/G. 10




FIG. 13





FIG. 14






FIG. 12









FIG. 15

FIG. 16





F/G. 17



F/G. 18





FIG. 19






FIG. 20




FIG. 21