



US00D454398S

(12) **United States Design Patent**  
**Robertson et al.**

(10) **Patent No.:** **US D454,398 S**

(45) **Date of Patent:** **\*\* Mar. 12, 2002**

(54) **ASSAYING DEVICE**

(75) Inventors: **John L. Robertson**, Fisher; **Jane Tsai**, Indianapolis, both of IN (US); **Lawrence C. McPhee**, Irvine, CA (US); **Steven S. Bachand**, Laguna Niguel, CA (US); **Robert L. Grenz**, Santa Ana, CA (US); **Dennis D. Blevins**, Laguna Hills, CA (US)

(73) Assignee: **ANSYS Technologies, Inc.**, Lake Forest, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/139,588**

(22) Filed: **Apr. 3, 2001**

(51) **LOC (7) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/225; D24/216; D24/224**

(58) **Field of Search** ..... **D24/225, 224, D24/216, 169, 223; D10/81; 422/104, 102, 58, 63, 64, 61; 435/805, 287.1, 287.7, 288.3**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D351,913 S \* 10/1994 Hieb et al. .... D24/225

D366,938 S \* 2/1996 Shartle et al. .... D24/224

D431,867 S \* 10/2000 Maynard et al. .... D24/216

D438,632 S \* 3/2001 Miller ..... D24/224

\* cited by examiner

*Primary Examiner*—Ian Simmons

(74) *Attorney, Agent, or Firm*—Walter A. Hackler

(57) **CLAIM**

The ornamental design for an assaying device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view looking at the top, front left corner of the device;

FIG. 2 is a top plan view of the device;

FIG. 3 is a bottom plan view of the device;


FIG. 4 is a right side elevation view and the left side is an exact mirror image of the right side;


FIG. 5 is a front elevational view of the device; and,

FIG. 6 is a rear elevation view of the device.


The broken line showing in FIGS. 1 and 2 are for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*FIG. 1.*




*FIG. 2.*




*FIG. 3.*



*FIG. 4.*



*FIG. 5.*



*FIG. 6.*