



US00D454422S

(12) **United States Design Patent**
Rush

(10) **Patent No.:** **US D454,422 S**

(45) **Date of Patent:** **** Mar. 19, 2002**

(54) **NECKTIE**

D436,405 S * 1/2001 Haines, Sr. D2/605

(76) **Inventor:** **Michael Jordan Rush, 7845**
Montgomery Ave., #7, Elkins Park, PA
(US) 19027

* cited by examiner

Primary Examiner—Paula A. Mortimer
(74) *Attorney, Agent, or Firm*—Paul & Paul

(**) **Term:** **14 Years**

(57) **CLAIM**

(21) **Appl. No.:** **29/139,333**

The ornamental design for a necktie, as shown and described.

(22) **Filed:** **Mar. 28, 2001**

(51) **LOC (7) Cl.** **02-05**

(52) **U.S. Cl.** **D2/605**

(58) **Field of Search** D2/600, 602, 605,
D2/606, 607, 608; 2/144, 145, 146, 147,
148, 149, 150, 151

DESCRIPTION


(56) **References Cited**



U.S. PATENT DOCUMENTS

2,533,130	A	*	9/1950	Manfred	2/144
3,458,868	A	*	8/1969	Smith	2/150
4,958,383	A	*	9/1990	Thompon	2/150
5,123,118	A	*	6/1992	Shaw	2/145
D420,489	S	*	2/2000	Walker	D2/605
6,094,746	A	*	8/2000	Miller	D2/605

FIG. 1 is a front view of a necktie of my present invention having two upper sections that are fastened to provide a loop, showing the necktie as it appears before the upper sections are fastened around the neck of an individual; FIG. 2 is a front view of the necktie of FIG. 1 showing the necktie as it appears after the upper sections are fastened to provide the loop; FIG. 3 is a second front view of the necktie of FIG. 1; FIG. 4 is a side view of the necktie of FIG. 1, the opposite side is essentially the same; and, FIG. 5 is a rear view of the tie of FIG. 3.

1 Claim, 2 Drawing Sheets








FIG. 3



FIG. 4



FIG. 5