

US00D454448S

(12) United States Design Patent (10) Patent No.:

US D454,448 S (45) Date of Patent: ** Mar. 19, 2002 Reese et al.

REFRIGERATED COOLER

Inventors: Robert J. Reese, Spartanburg; Harry A. Brancheau, Inman; Richard D. Kusel, Spartanburg; Michael A. Baker, Duncan, all of SC (US); Wendell

Wilson, Marietta, GA (US)

Specialty Equipment Companies, Inc.,

Aurora, IL (US)

14 Years Term:

Appl. No.: 29/128,083

Aug. 17, 2000 Filed:

LOC (7) Cl. 06-04

U.S. Cl. D6/470 (52)

(58)D6/509; D15/79, 81; 312/116; 62/246–257

References Cited (56)

U.S. PATENT DOCUMENTS

1,647,785 A 11/1927 Coughlin

(List continued on next page.)

OTHER PUBLICATIONS

Beverage-Air Curve dated May 12, 1997.

Beverage-Air Stylized Curve dated May 12, 1997.

Beverage–Air Flat dated May 12, 1997.

Cavalier Color Brochure for Sobe Modular Cooler.

Electrify MRI Color Brochure, 2 pages, at least as early as Oct., 1998.

Beverage–Air Cold–Flo Gravity Shelf Organizer Brochure (May 1990).

Beverage–Air Slide Door Marketeers Brochure for Models MT 33, 38, 45, 66 (1986).

Primary Examiner—Dominic Simone

(57)**CLAIM**

The ornamental design for a refrigerated cooler, as shown and described.

DESCRIPTION

FIG. 1 is an elevated perspective front view of the of the refrigerated cooler with the shape of the border of the front window in the display cabinet indicated in dahed line as environmental, the top doors, door tracks and door framing of the cooler indicated in dashed line as environmental, the pivot bolt near the bottom, rear side edge of the display cabinet and the locking pin near the top, rear side edge of the display cabinet indicated in dashed line as environmental, and the base of the cooler indicated in dashed line as environmental;

FIG. 2 is a top plan view of an embodiment as in FIG. 1 with the top doors, door tracks and door framing of the cooler indicated in dashed line as environmental and the pivot bolts near the bottom, rear side edges of the display cabinet indicated in dashed line as environmental;

FIG. 3 is a bottom plan view of an embodiment as in FIG. 1 with the base of the cooler and the pivot bolts near the bottom, rear side edges of the display cabinet indicated in dashed line as environmental;


FIG. 4 is a left side plan view of an embodiment as in FIG. 1 with the base of the cooler, the pivot bolt near the bottom, rear side edge of the display cabinet, and the locking pin near the top, rear side edge of the display cabinet indicated in dashed line as environmental;

FIG. 5 is a right side plan view of the design of FIG. 1 with the base of the cooler, the pivot bolt near the bottom, rear side edge of the diplay cabinet, and the locking pin near the top, rear side edge of the display cabinet indicated in dashed line as environmental;

FIG. 6 is a rear plan view of an embodiment as in FIG. 1 with the base of the cooler and the pivot bolts near the bottom, rear side edges of the display cabinet indicated in dashed line as environmental; and,


FIG. 7 is a front plan view of an embodiment as in FIG. 1 with the shape of the border of the front window in the display cabinet indicated in dashed line as environmental, the base of the cooler indicated in dashed line as environmental, and the pivot bolts near the bottom side edges of the display cabinet indicated in dashed line as environmental.

1 Claim, 4 Drawing Sheets




US D454,448 S Page 2


U.S. PATENT	DOCUMENTS		Hargrave 312/116
D102 284 S * 12/1936	McCoy D6/471		Rhoads Drovefores Dr (470)
2,112,599 A 3/1938	•	•	Dreyfuss
	Tyler D6/471	3,097,899 A 7/1963	
2,276,634 A 3/1942	•	3,287,073 A 11/1966 3,532,404 A * 10/1970	Tavallali et al 312/116
	Bishop	3,759,059 A 9/1973	
	Hoffman D6/470	3,732,032 11 2,1273	Ttony on
2,499,089 A 2/1950	Brill et al.	* cited by examiner	



Mar. 19, 2002









3





7.6





Mar. 19, 2002

