



US00D454646S

(12) **United States Design Patent**  
**Bushnell et al.**

(10) **Patent No.: US D454,646 S**  
(45) **Date of Patent: \*\* Mar. 19, 2002**

- (54) **WINDOW CORNICE**
- (75) Inventors: **Mari Lyn Bushnell**, Stillman Valley;  
**James L. Daniels**, Freeport; **Troy Schmitz**, Poplar Grove, all of IL (US)
- (73) Assignee: **Newell Window Furnishings, Inc.**,  
Sturgis, MI (US)
- (\*\*) Term: **14 Years**

3,378,057 A	4/1968	Synck	160/39
4,246,951 A	1/1981	Givens	160/39
4,828,002 A	5/1989	Ashby	160/38
5,042,548 A	8/1991	Attal	160/38
5,062,463 A	11/1991	Peters	160/38
5,217,784 A *	6/1993	Shepherd	160/38
5,505,245 A	4/1996	Badalamenti	160/38
5,597,025 A	1/1997	Forkner	160/38
D385,141 S	10/1997	Forkner	D6/579
5,927,362 A	7/1999	Smiley et al.	160/38

\* cited by examiner

- (21) Appl. No.: **29/134,776**
- (22) Filed: **Dec. 29, 2000**

*Primary Examiner*—Doris Clark  
(74) *Attorney, Agent, or Firm*—Marshall, Gerstein, & Borun

- (51) **LOC (7) Cl.** ..... **25-02**
- (52) **U.S. Cl.** ..... **D25/55**
- (58) **Field of Search** ..... D25/55; 160/19,  
160/33, 38, 39

(57) **CLAIM**

The ornamental design for a “window cornice”, as shown and described.

(56) **References Cited**


**DESCRIPTION**

**U.S. PATENT DOCUMENTS**

124,549 A *	3/1872	Cony et al.	160/19
260,439 A	7/1882	Winger	
502,074 A	7/1893	Herr	
649,729 A	5/1900	Isbills	
827,000 A	7/1906	Dinsmore	
1,677,627 A	7/1928	Goodrow	
D83,047 S	1/1931	Kirsch	
D83,406 S	2/1931	Kirsch	
1,842,787 A	1/1932	Kirsch	
D90,532 S	8/1933	Kirsch	
2,293,662 A	8/1942	Richardson	156/13
2,368,964 A	2/1945	Bosansky	160/21
2,501,133 A	3/1950	Levy	160/21
2,549,905 A	4/1951	Jablon	
D165,515 S	12/1951	Eckert	D21/6
D167,176 S *	7/1952	Schaefer	D25/55
2,739,644 A	3/1956	Brand	160/39
3,372,728 A	3/1968	Schaefer	160/39
D210,821 S	4/1968	Stone	D13/6

FIG. 1 is a perspective front elevation of a “window cornice” according to another embodiment of the present invention; FIG. 2 is a front view of the “window cornice” shown in FIG. 1; FIG. 3 is a top view of the “window cornice” shown in FIG. 1; FIG. 4 is a bottom view of the “window cornice” shown in FIG. 1; FIG. 5 is a back view of the “window cornice” shown in FIG. 1; FIG. 6 is a left side view of the “window cornice” shown in FIG. 1; FIG. 7 is a right side view of the “window cornice” shown in FIG. 1; and, FIG. 8 is a front view of an alternative embodiment of the “window cornice” shown in FIG. 1.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8