



US00D454776S

(12) **United States Design Patent** (10) **Patent No.:** **US D454,776 S**
Padrun (45) **Date of Patent:** **** Mar. 26, 2002**

(54) **HOLDER FOR CONCRETE REINFORCING ELEMENTS**

(75) Inventor: **John Padrun**, Cupertino, CA (US)

(73) Assignee: **GOPA Enterprises**, Cupertino, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,760**

(22) Filed: **Dec. 29, 2000**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/112,599, filed on Oct. 19, 1999, now Pat. No. Des. 443,197.

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/354**

(58) **Field of Search** D8/354, 356, 384, D8/380, 349; D25/199; 52/685, 686, 687, 688, 689, 690, 105, 438, 677, 383, 696, 742.1, 726.1, 719

(56) **References Cited**

U.S. PATENT DOCUMENTS

D201,441 S	6/1965	Potruch	
3,673,753 A *	7/1972	Anderson	52/685
D240,708 S *	7/1976	Ilukowicz	D25/199
4,110,951 A	9/1978	Padrun	
4,617,775 A	10/1986	Padrun	
D421,709 S *	3/2000	Haslem	D8/354

* cited by examiner

Primary Examiner—Pamela Burgess

(74) *Attorney, Agent, or Firm*—Flehr Hohbach Test Albritton & Herbert LLP

(57) **CLAIM**

The ornamental design for a holder for concrete reinforcing elements, as shown and described.

DESCRIPTION

FIG. 1 is a right, front isometric view of a holder for concrete reinforcing elements showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof.

FIG. 6 is a right, front isometric view of another embodiment of a holder for concrete reinforcing elements showing my new design;

FIG. 7 is a front elevational view thereof;

FIG. 8 is a right side elevational view thereof;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof.

FIG. 11 is a right, front isometric view of another embodiment of a holder for concrete reinforcing elements showing my new design;

FIG. 12 is a front elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof.

FIG. 16 is a right, front isometric view of another embodiment of a holder for concrete reinforcing elements showing my new design;

FIG. 17 is a front elevational view thereof;

FIG. 18 is a right side elevational view thereof;

FIG. 19 is a top plan view thereof;

FIG. 20 is a bottom plan view thereof.

FIG. 21 is a right, front isometric view of another embodiment of a holder for concrete reinforcing elements showing my new design;

FIG. 22 is a front elevational view thereof;

FIG. 23 is a right side elevational view thereof;

FIG. 24 is a top plan view thereof;

FIG. 25 is a bottom plan view thereof.

FIG. 26 is a right, front isometric view of another embodiment of a holder for concrete reinforcing elements showing my new design;


FIG. 27 is a front elevational view thereof;


FIG. 28 is a right side elevational view thereof;

FIG. 29 is a top plan view thereof; and,


FIG. 30 is a bottom plan view thereof.

1 Claim, 9 Drawing Sheets







FIG_1




FIG_6




FIG_2




FIG_4




FIG_5




FIG_3




FIG_7




FIG_9




FIG_10




FIG_8




FIG_11




FIG_16




FIG_12




FIG_13




FIG_14




FIG_15




FIG_17




FIG_18




FIG_19




FIG_20




FIG_21




FIG_26




FIG_22




FIG_23




FIG_24




FIG_25




FIG_27



FIG_28



FIG_29



FIG_30