



US00D454784S

(12) **United States Design Patent**
Oram

(10) **Patent No.:** **US D454,784 S**

(45) **Date of Patent:** **** Mar. 26, 2002**

(54) **SHIPPING AND DISPLAY BOX FOR COILS OF BUILDING WIRE**

D412,631 S 8/1999 Green D6/467
D415,960 S 11/1999 Majdanski et al. D9/418
D438,463 S * 3/2001 Schill et al. D9/416

(75) Inventor: **Gayle L. Oram**, Toronto (CA)

* cited by examiner

(73) Assignee: **Nexans Canada Inc.**, Markham (CA)

Primary Examiner—Prabhakar Deshmukh

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—George J. Primak

(21) Appl. No.: **29/125,232**

(57) **CLAIM**

(22) Filed: **Jun. 21, 2000**

The ornamental design of a shipping and display box for coils of building wire, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 18, 2000 (CA) 2000-0116

FIG. 1 is a perspective view of the box when closed and where the broken lines represent perforations in the box; FIG. 2 is an end view of the box when closed and where the broken lines represent perforations in the box; FIG. 3 is a side view of the box when closed and where the broken lines represent perforations in the box; FIG. 4 is a top view of the box when closed and where the broken lines represent perforations in the box; FIG. 5 is a bottom view of the closed box; FIG. 6 is a perspective view of the box when open and the broken lines illustrate coils of the building wire in the box, which do not form part of the design of the box; FIG. 7 is an end view of the box when open and the broken line illustrates a coil of the building wire in the box, which does not form part of the design of the box; FIG. 8 is a side view of the box when open and the broken lines illustrate coils of the building wire in the box, which do not form part of the design of the box; FIG. 9 is a top view of the box when open and the broken lines illustrate coils of the building wire in the box, which do not form part of the design of the box; and, FIG. 10 is a bottom view of the open box.

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/416; D9/432**


(58) **Field of Search** D9/416, 414, 432, D9/433; 229/240, 242, 164, 244, 241; 206/736, 774, 746, 321, 389, 390

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,656,919	A	*	1/1928	Marsh	229/235
2,542,180	A	*	2/1951	Chemlinski	229/242
2,547,892	A	*	4/1951	Stevens	229/242
2,801,000	A	*	7/1957	Busch	229/242
3,606,135	A	*	9/1971	Rosenburg, Jr.	229/223
4,318,474	A	*	3/1982	Hasegawa	229/242
4,702,407	A	*	10/1987	Lisecki	229/223
4,865,187	A		9/1989	Zulauf et al.	206/45.31
5,318,218	A	*	6/1994	Mattson	229/227
D356,680	S		3/1995	Edgerton, Jr.	D3/313
5,415,343	A		5/1995	Vosbikian	229/162
D392,119	S		3/1998	Montoya	D6/397
D394,606	S	*	5/1998	Zorn et al.	D9/416
D405,369	S		2/1999	Dohner	D9/415

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10