



US00D454906S

(12) **United States Design Patent**
Senda et al.

(10) **Patent No.:** **US D454,906 S**
(45) **Date of Patent:** **** Mar. 26, 2002**

(54) **OPERATING PANEL FOR AN ELECTRONIC PERCUSSION INSTRUMENT**

D357,271 S * 4/1995 Hoshina D17/22
D401,612 S * 11/1998 Takei D17/22

(75) Inventors: **Kenji Senda**, Hamakita; **Yasunobu Miyamoto**, Shizuoka, both of (JP)

* cited by examiner

Primary Examiner—Adir Aronovich
(74) *Attorney, Agent, or Firm*—Foley & Lardner

(73) Assignee: **Roland Corporation**, Osaka (JP)

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/128,651**

The ornamental design for an operating panel for an electronic percussion instrument, as shown and described.

(22) Filed: **Aug. 29, 2000**

DESCRIPTION

(51) **LOC (7) Cl.** **17-04**

FIG. 1 is a right side view showing our design.

(52) **U.S. Cl.** **D17/22**

FIG. 2 is a top view thereof.

(58) **Field of Search** D17/22, 99; D21/405; 84/411 R, 723-733, DIG. 24

FIG. 3 is a top front/right-side view thereof, rotated approximately 45° about the horizontal axis and approximately 30° about the vertical axis with respect to FIG. 2.

(56) **References Cited**

FIG. 4 is a front view thereof.

U.S. PATENT DOCUMENTS


FIG. 5 is a back view thereof; and,

- 4,479,412 A * 10/1984 Klynas 84/730
- D298,950 S * 12/1988 Fukuoka D17/22
- D328,915 S * 8/1992 Sato D17/22
- D342,274 S * 12/1993 Ohki et al. D17/99

FIG. 6 is a left side view thereof.

The broken lines shown in the drawings are to illustrate environment only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6