



US00D455041S

(12) **United States Design Patent**
Smith

(10) **Patent No.:** **US D455,041 S**

(45) **Date of Patent:** **** Apr. 2, 2002**

(54) **CONTACT GRILL**

(75) Inventor: **Michael E. Smith**, Glen Allen, VA (US)

(73) Assignee: **Hamilton Beach/Proctor-Silex, Inc.**, Glen Allen, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/139,992**

(22) Filed: **Apr. 10, 2001**

(51) **LOC (7) Cl.** **07-02**

(52) **U.S. Cl.** **D7/362; D7/352**

(58) **Field of Search** D7/323, 352, 362-367, D7/332, 337-338, 402, 409-410, 328-330; 99/372, 374-376, 379-380, 389, 425, 386, 443 C, 329 RT, 450; 219/450.1, 512

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------|--------|
| D346,304 S | 4/1994 | Naft et al. | D7/352 |
| D347,548 S | 6/1994 | Boehm et al. | D7/352 |
| D366,390 S | 1/1996 | Vitantonio | D7/363 |
| D367,993 S | 3/1996 | McClellan | D7/352 |
| D367,994 S | 3/1996 | Bloom et al. | D7/352 |
| 5,606,905 A * | 3/1997 | Boehm et al. | 99/375 |
| D379,733 S | 6/1997 | Liu et al. | D7/337 |
| D383,353 S | 9/1997 | Piret | D7/352 |
| D384,546 S | 10/1997 | Lin | D7/352 |
| D389,372 S | 1/1998 | Saltet | D7/352 |
| D394,584 S | 5/1998 | Weber | D7/363 |
| D405,312 S | 2/1999 | Hoare | D7/352 |

| | | | |
|---------------|---------|---------------------|--------|
| D407,598 S | 4/1999 | Deni et al. | D7/352 |
| D409,041 S | 5/1999 | Barker | D7/362 |
| D409,876 S | 5/1999 | Gruaz | D7/352 |
| D411,937 S | 7/1999 | Siegler et al. | D7/352 |
| D412,808 S | 8/1999 | Hinton et al. | D7/362 |
| D413,759 S | 9/1999 | Carrere | D7/352 |
| D413,760 S | 9/1999 | Tsai et al. | D7/352 |
| D415,927 S | 11/1999 | Weber | D7/363 |
| 6,062,130 A * | 5/2000 | Brady | 99/332 |
| D427,480 S | 7/2000 | Brady | D7/354 |
| D435,755 S * | 1/2001 | Deni | D7/352 |
| D437,727 S * | 2/2001 | Gruaz | D7/352 |
| D448,238 S * | 9/2001 | Schmidt | D7/362 |

* cited by examiner

Primary Examiner—Ruth McInroy

(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a contact grill, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a contact grill showing my new design;
FIG. 2 is a front view;
FIG. 3 is a right elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a left elevational view;
FIG. 6 is a top plan view;
FIG. 7 is a bottom plan view; and,
FIG. 8 is a top perspective view showing the open contact grill.

1 Claim, 4 Drawing Sheets





FIG. 1





FIG. 2






FIG. 3

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

