



US00D455101S

(12) **United States Design Patent**
Hamilton

(10) **Patent No.:** **US D455,101 S**

(45) **Date of Patent:** **** Apr. 2, 2002**

(54) **BUCKLE**

D447,980 S * 9/2001 Kawamura D11/216

* cited by examiner

(75) Inventor: **Jeffrey R. Hamilton**, Hoffman Estates, IL (US)

Primary Examiner—Ralf Seifert

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

(74) *Attorney, Agent, or Firm*—Pitney, Hardin, Kipp & Szuch LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for the buckle, as shown.

(21) Appl. No.: **29/140,460**

DESCRIPTION

(22) Filed: **Apr. 17, 2001**

FIG. 1 is a front plan view thereof;
FIG. 2 is a top plan view thereof,
FIG. 3 is a first side plan view thereof,
FIG. 4 is a rear plan view thereof,
FIG. 5 is a second side plan view thereof,
FIG. 6 is a bottom plan view thereof,
FIG. 7 is a front exploded plan view thereof,
FIG. 8 is a front plan view of a single element thereof,
FIG. 9 is a top plan view of a single element thereof,
FIG. 10 is an exterior side plan view of a single element thereof,
FIG. 11 is an interior side plan view of a single element thereof; and,
FIG. 12 is a bottom plan view of a single element thereof.

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/220**


(58) **Field of Search** D11/200–221;
24/196, 616, 625, 650

(56) **References Cited**

U.S. PATENT DOCUMENTS

D208,943 S	*	10/1967	Gehrie	D11/216
4,569,106 A	*	2/1986	Lovato	24/615
4,779,315 A	*	10/1988	Kohus	24/575
D351,122 S	*	10/1994	Janeke	D11/216
5,735,024 A	*	4/1998	Ortiz	24/575

1 Claim, 4 Drawing Sheets






FIG. 3




FIG. 1




FIG. 2




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 12




FIG. 11




FIG. 8




FIG. 10




FIG. 9